MMM	MMM	AAAAAAA	.	111111111	LLL
MMM	MMM	AAAAAAAA			ΙΙΙ
MMM	MMM	AAAAAAA		IIIIIIII	ΙΙΙ
	MMMMMM		AAA	111	ΙΙΙ
	MMMMMM		AAA	iii	iii
	MMMMMM		AAA	iii	iii
MMM MMM			AAA	111	iii
MMM MMM		ÄÄÄ	AAA	111	LLL
MMM MMM				111	
		AAA	AAA	111	LLL
MMM	MMM	AAA	AAA	111	LLL
MMM	MMM	AAA	AAA	IIi	LLL
MMM	MMM	AAA	AAA	ĬĬĬ	ĪĪĪ
MMM	MMM	AAAAAAAAAA		ĬĬĬ	ĬĬĬ
MMM	MMM	AAAAAAAAAAA		ĬĬĬ	ĬĬĬ
MMM	MMM	AAAAAAAAAA	AAA	ĬĬĬ	ΙΙΙ
MMM	MMM	AAA	AAA	ĬĬĬ	ίίί
MMM	MMM		AAA	ĪĬĬ	ĬĬĬ
MMM	MMM		AAA	iii	111
MMM	MMM		AAA	1111111111	1111111111111
MMM				11111111	
	MMM		AAA	111111111	
MMM	MMM	AAA	AAA		LLLLLLLLLLLLL

* *********

S) M/ M/ M/ M/

M/ M/ M/ M/ M/ M/ M/

MM MM MMMM MMMM MMMM MMMM MM MM MM MM MM	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA			••••
MM MM MMMMM MMMM MMMMM MMMMM MM MM MM MM MM	AAAAA AA AA AA AA	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP		

M

M/

M/

! Object Module Synopsis !

F 14 16-SEP-1984 04:38

Module Name	Ident	Bytes	File		Creation Date	Creator
MAILSMAIL MAILSADDRLIST MAILSISAM_SUBS MAILSSYSMAI MAILSMSGSUBS MAILSCMDS MAILSCHOW	V04-001 V04-000 V04-000 V04-000 V04-000 V04-000	9555 1793 3979 5642	\$255\$DUA28 \$255\$DUA28 \$255\$DUA28 \$255\$DUA28 \$255\$DUA28	:[MAIL.OBJ]MAIL.OLB;1 :[MAIL.OBJ]MAIL.OLB;1 :[MAIL.OBJ]MAIL.OLB;1 :[MAIL.OBJ]MAIL.OLB;1 :[MAIL.OBJ]MAIL.OLB;1 :[MAIL.OBJ]MAIL.OLB;1 :[MAIL.OBJ]MAIL.OLB;1	16-Sep-1984 01:01 16-SEP-1984 00:43 16-Sep-1984 00:54 16-Sep-1984 01:23 16-Sep-1984 01:08 16-Sep-1984 00:47 16-Sep-1984 01:21	VAX-11 Bliss-32 V4.0-742 VAX/VMS Macro V04-00 VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742
MAILSCOMMAND_TA	ABLE VBLE	11777	#255@NIIA20	FMATE OD ITMATE OLD . 1	14-ccp-109/ 00./7	WAY/VMC Command Dofinition Uti
MAILSIOSUBS MAILSNETSUBS MAILSDIRECTORY MAILSEDIT MAILSPRINT MAILSREAD MAILSGETUSER MAILSHANDLER MAILSSET MAILSSEND MSG MAILSSPAWN_CMDS MAILMSG MAILSNOTIFY CVTIME	0-0 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000 V04-000	644 3667 933 3181 2310 715 524 2518 3332 780 42 202	-\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28 -\$255\$DUA28	:[MAIL.OBJ]MAIL.OLB;1	16-SEP-1984 00:43 16-SEP-1984 00:46 16-SEP-1984 01:10 16-SEP-1984 00:50 16-SEP-1984 01:14 16-SEP-1984 01:16 16-SEP-1984 00:45 16-SEP-1984 00:45 16-SEP-1984 01:17 16-SEP-1984 01:20 16-SEP-1984 01:25 16-SEP-1984 01:25 16-SEP-1984 01:25 16-SEP-1984 01:33	VAX/VMS Command Definition Uti VAX/VMS Macro V04-00 VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742 VAX/VMS Macro V04-00 VAX/VMS Macro V04-00 VAX/VMS Command Definition Uti VAX-11 Bliss-32 V4.0-742 VAX/VMS Command Definition Uti VAX-11 Bliss-32 V4.0-742 VAX/VMS Macro V04-00 VAX-11 Bliss-32 V4.0-742 VAX/VMS Macro V04-00
LIBSFID_TO_NAME	V04-000	932	\$255\$DUA28	ESYSLIBJSYSBLDLIB.OLB; 1	16-Sep-1984 02:26	VAX-11 Bliss-32 V4.0-742
LIB\$SET_FICE_PR	ROT				•	
UTILSREPORT_10_	V04-000 ERR			[SYSLIB]SYSBLDLIB.OLB;1	•	VAX-11 Bliss-32 V4.0-742
CLISINTERFACE CLISGLOBALS LIBSMSGDEF RMSSGLOBALS SMGSMSGDEF SYSSSDEF SYSSP1_VECTOR LIBRTL SMGSHR	V04-000 V04-000 2-018 V04-000 1-026 V04-000 V04-000 V04-000	516 0 0 42 0 0	\$255\$DUA28 \$255\$DUA28 \$255\$DUA28 \$255\$DUA28 \$255\$DUA28 \$255\$DUA28 \$255\$DUA28 \$255\$DUA28 \$255\$DUA28	:[SYSLIB]SYSBLDLIB.OLB;1 :[SYSLIB]STARLET.OLB;2 :[SYSLIB]STARLET.OLB;2 :[SYSLIB]STARLET.OLB;2 :[SYSLIB]STARLET.OLB;2 :[SYSLIB]STARLET.OLB;2 :[SYSLIB]STARLET.OLB;2 :[SYSLIB]STARLET.OLB;2 :[SYSLIB]STARLET.OLB;2	16-Sep-1984 02:28 16-Sep-1984 00:32 15-SEP-1984 23:38 15-SEP-1984 01:35 16-SEP-1984 00:10 16-SEP-1984 00:40 16-SEP-1984 04:00 16-SEP-1984 04:07	VAX-11 Bliss-32 V4.0-742 VAX-11 Bliss-32 V4.0-742 VAX/VMS Macro V04-00 VAX-11 Message V04-00 VAX-11 Message V04-00 VAX/VMS Macro V04-00 VAX/VMS Macro V04-00 VAX/VMS Macro V04-00 VAX-11 Linker V04-00

2

! Image Section Synopsis !

Cluster	Type	Pages	Base Addr	Disk VBN P	FC 1	Prote	ction	and Pagir	ng	Global Sec. Name	Match	Majorid	Minorid
DEFAULT_CLUSTER	0 0 0 0 253	133 1 1 20	00000200 00001200 P-00011000 00011E00 7FFFD800	10 143 144 0	000	READ READ READ	WRITE	COPY	ON REF ON REF VECTORS ZERO				
LIBRTL	3	111	00000000- 0000DE00-		0	READ READ	ONLY WRITE	DEMAND 2	ZERO	LIBRTL_001 LIBRTL_002	LESS/EQUAL		11 11
SMGSHR	3 4 4 2	103 3 1	00000000- 0000CE00- P-0000D400- 0000D600-	R 0 R 0	0	READ	ONLY WRITE WRITE WRITE	COPY (ON REF ON REF VECTORS	SMGSHR_001 SMGSHR_002 SMGSHR_003 SMGSHR_004	LESS/EQUAL LESS/EQUAL LESS/EQUAL LESS/EQUAL	1	100 100 100 100

G 14 16-SEP-1984 04:38

Key for special characters above:

R - Relocatable P - Protected

Page

! Program Section Synopsis!

H 14 16-SEP-1984 04:38

Psect Name	Module Name	Base	End	Length		Align	Attributes
\$GLOBAL\$	MAIL\$MAIL MAIL\$ISAM_SUBS MAIL\$SYSMĀI MAIL\$MSGSUBS MAIL\$CMDS MAIL\$NETSUBS	00000200 00000574 000005A0 0000063C	00000573 0000059f 0000063B	0000002C (0000009C (00000024 (00000004 (884.) 44.) 156.) 36.)	LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE, RD, WRT, NOVEC
SOWNS	MAIL\$MAIL MAIL\$ISAM_SUBS MAIL\$SYSMAI MAIL\$SYSMAI MAIL\$MSGSUBS MAIL\$CMDS MAIL\$CMDS MAIL\$IOSUBS MAIL\$IOSUBS MAIL\$NETSUBS MAIL\$DIRECTORY MAIL\$EDIT MAIL\$PRINT MAIL\$PRINT MAIL\$READ MAIL\$SET MAIL\$SET	0000066C 000009A0 00000A9C 00000D30 00000E18 00000E68 00000E88 00000E88 00000F00 0000F5C	0000099F 00000A9B 00000BFB 00000E17 00000E67 00000E77 00000E87 00000F47 00000F5B 00001013 0000102B	00000160 (00000134 (000000E8 (00000010 (00000010 (00000020 (00000058 (00000048 (00000014 (00000018 (16.) 16.) 32.) 88.) 72.) 20.) 184.)	LONG 222222222222222222222222222222222222	NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE, RD, WRT, NOVEC
\$RMSNAM	MAIL\$GETUSER	0000103C 0000103C	00001050 00001050	00000015 (00000015 (21.) 21.)	BYTE 0 BYTE 0	NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE, RD, WRT, NOVEC
_UTIL\$DATA	UTIL\$REPORT_IO_	ERR		00000008 (00000008 (LONG 2 LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, NOEXE, RD, WRT, NOVEC
\$CODE\$	MAIL\$MAIL MAIL\$ADDRLIST MAIL\$ISAM_SUBS MAIL\$SYSMAI MAIL\$MSGSUBS MAIL\$CMDS MA	00001200 00003A44 00004054 00006480 00006988 000077BC 00008CDC 000098E0 0000A71C 0000AAA4 0000B628 0000BEE8	00003A43 00004052 0000647C 00006984 000077BA 00008CD9 00009668 000098DF 0000A71A 0000AAA0 0000B624 0000BEE5 0000C19E	0000060F (00002429 (00000505 (00000E33 (0000151E (0000098D (00000274 (00000E3B (000008BE (000002B7 (10308.) 1551.) 9257.) 1285.) 3635.) 5406.) 2445.) 628.) 3643.) 2945.) 2238.) 695.)	LONG 2 LONG 2 LONG 2 LONG 2 LONG 2 LONG 2 LONG 2 LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR, EXE, RD, NOWRT, NOVEC

	S S S
	5555555
Ì	S
	S
	S
	S
·	S
	S
	S
	S
	SSSS
	S
١	

Psect Name	Module Name	Base	End	Length	Align	Attributes		
\$CODE\$	MAIL\$SET MAIL\$SEND_MSG MAIL\$NOTIFY CLISINTERFACE	00001200 00000300 00000D80 0000DA74	0000DD43 0000CD7D 0000DA73 0000DB3D	000009BE (00000CF4 (52036.) LONG 2 2494.) LONG 2 3316.) LONG 2 202.) LONG 2 516.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR,	EXE,	RD, NOWRT, NOVEC
\$PLIT\$	MAIL\$ADDRLIST MAIL\$GETUSER	0000DD44			16.) LONG 2 5.) LONG 2 8.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR,	EXE,	RD, NOWRT, NOVEC
CLISTABLES	MAIL\$COMMAND_TAI MAIL\$SPAWN_CMDS	BLE 0000DD54	00010B27	000030E0 (00002DD4 (0000030C (12512.) LONG 2 11732.) LONG 2 780.) LONG 2	PIC,USR,CON,REL,LCL,NOSHR,	EXE,	RD, NOWRT, NOVEC
EDT_ADDRESSES	MAILSEDIT			00000034 (00000034 (52.) LONG 2 52.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR,	EXE,	RD, NOWRT, NOVEC
EDT_NAMES	MAILSEDIT		00010EC7 00010EC7	00000060 (00000060 (96.) LONG 2 96.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR,	EXE,	RD, NOWRT, NOVEC
_CNVCL1_CODE	CVTTIME			00000358 (00000358 (856.) LONG 2 856.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR,	EXE,	RD, NOWRT, NOVEC
_CNVCLI_STATE	CVTTIME			0000008C (0000008C (140.) BYTE 0 140.) BYTE 0	NOPIC, USR, CON, REL, LCL, NOSHR,	EXE,	RD, NOWRT, NOVEC
_LIB\$CODE	LIB\$FID_TO_NAME LIB\$SET_FITE_PRO	000112AC		0000059A (000003A4 (1434.) LONG 2 932.) LONG 2	PIC,USR,CON,REL,LCL, SHR,	EXE,	RD, NOWRT, NOVEC
		00011650	00011845	000001F6 (502.) LONG 2			
_LIB\$KEYO\$	MAILSMAIL MAILSADDRLIST	00011846	0001184D	00000008 (00000000 (8.) WORD 1 8.) WORD 1 0.) WORD 1	PIC,USR,CON,REL,LCL, SHR,	EXE,	RD, NOWRT, NOVEC
_LIB\$KEY1\$	MAILSMAIL MAILSADDRLIST	0001184E	00011861	00000014 (00000014 (00000000 (20.) WORD 1 20.) WORD 1 0.) WORD 1	PIC,USR,CON,REL,LCL, SHR,	EXE,	RD, NOWRT, NOVEC
_LIB\$STATE\$	MAIL\$MAIL MAIL\$ADDRLIST	00011862	00011885	000001D6 (00000054 (00000182 (470.) WORD 1 84.) WORD 1 386.) BYTE 0	PIC,USR,CON,REL,LCL, SHR,	EXE,	RD, NOWRT, NOVEC
_UTIL\$CODE	UTIL\$REPORT_IO_	ERR		00000073 (00000073 (115.) LONG 2 115.) LONG 2	NOPIC, USR, CON, REL, LCL, NOSHR,	EXE,	RD, NOWRT, NOVEC
MSGPTR\$AAAAAAA	MAILMSG SMG\$MSGDEF	00011000	00011C0F	00000010 (00000010 (00000010 (16.) LONG 2 16.) LONG 2 16.) LONG 2	PIC,USR,OVR,REL,LCL,NOSHR,N	OEXE,	RD, WRT, VEC

_\$255\$DUA28:[MAIL.OBJ]MAIL.EXE;

Psect Name	Module Name	Base	End	Length	Align	Attributes	
MSGPTR\$AAAAAAB	MAILMSG SMG\$MSGDEF	00011C10 00011C10	00011617 00011613 00011617		8.) LONG 2 4.) LONG 2 4.) LONG 2	PIC, USR, CON, REL, LCL, NOSHR, NOEXE, RD,	WRT, VEC
MSGPTR\$AAAAAAAC	MAILMSG SMG\$MSGDEF	00011018	00011C1B		4.) LONG 2 4.) LONG 2 4.) LONG 2	PIC, USR, OVR, REL, LCL, NOSHR, NOEXE, RD,	WRT, VEC
MSGPTR\$SECTION	MAILMSG SMG\$MSGDEF	00011C1C 00011C1C 00011C2E	00011C3F 00011C2D 00011C3F	00000024 (00000012 (00000012 (36.) BYTE 0 18.) BYTE 0 18.) BYTE 0	PIC, USR, CON, REL, LCL, NOSHR, NOEXE, RD,	WRT, VEC

J 14 16-SEP-1984 04:38

VAX-11 Linker V04-00

Page

CLISINTERFACE

MAIL\$10SUBS

MAIL SMSGSUBS

LIBSFREE VM

MAIL SAD TRLIST

MAIL\$SEND MSG

MAILSISAM_SUBS

6

Symbol Value Defined By Referenced By ... ADDR_KEY ADDR_STATE CLISDCL_PARSE CLISDISPATCH 0001184E-R **MAILSADDRLIST** MAIL SADDRLIST 000118B6-R CLISINTERFACE 0000DCOF-R MAILSEDIT MAIL\$MAIL 0000DCC0-R **CLISINTERFACE** MAIL SEDIT MAIL SMAIL 0000DB83-R CLISGET_VALUE **CLISINTERFACE** MAILSCMDS MAIL SEDIT MAILSISAM_SUBS MAIL SMAIL MAILSPRINT MAIL\$SET MAIL\$SHOW 0000DD01-R CLISNEXT QUAL **CLISINTERFACE** CLISPRESENT 0000DB40-R **CLISINTERFACE** MAILSEDIT MAILSCMDS MAILSISAM SUBS MAIL SMAIL MAIL SPRINT MAIL\$SET MAIL\$SHOW 000381F0 **CLISINTERFACE** CLIS_ABSENT CLI\$GLOBALS CLIS COMMA CLIS CONCAT CLIS DEFAULTED 0003FD39 **CLISINTERFACE** CL1\$GLOBALS **CLISINTERFACE** 0003FD29 CLISGLOBALS 0003FD21 CLI\$GLOBALS **CLISINTERFACE** CLIS_LOCNEG 00038230 CLISGLOBALS CLISINTERFACE MAIL SEDIT MAILSMAIL 0003FD31 **CLISINTERFACE** CI 15 LOCPRES CLISGLOBALS CLIS_NEGATED 000381F8 CLI\$GLOBALS CLISINTERFACE MAIL SEDIT MAIL SMAIL 00038080 CLIS_NOCOMD CLISGLOBALS CLISINTERFACE CLIS PRESENT DCLSSCOPY DXDX DECNUM KEY DECNUM STATE 0003FD19 CLISINTERFACE CLISGLOBALS 00000000 WK-CVTTIME 00011846-R MAIL SMAIL 00011862-R MAIL SMAIL EDITQUAL KEY EDITQUAL STATE 00011846-R MAILSMAIL 0001186E-R MAILSMAIL GETNUM_KEY GETNUM_STATE LIB\$ANALYZE_SDESC_R2 LIB\$ASN_WTH_MBX 0001184E-R MAILSMAIL 00011892-R MAIL SMAIL 00011E6C-RX LIBRTL LIBSFID TO NAME LIB\$SET_FILE_PROT MAIL SNETSUBS 00011E70-RX LIBRTL LIBSATTACH 00011E74-RX LIBRTL MAILSCMDS LIBSCREATE_DIR 00011E80-RX LIBRTL MAIL\$SET LIBSCYT_ATIME LIBSCYT_DTB LIBSCYT_DTIME LIBSCYT_TIME LIBSDISABLE_CTRL 0001104D-R CVTTIME 00011E84-RX LIBRTL MAILSCMDS MAILSMAIL 00011078-R CVTTIME MAILSCMDS 00010F0C-R CVTTIME MAIL\$ISAM_SUBS 00011E7C-RX LIBRTL MAIL SMAIL LIBSENABLE_CTRL 00011E78-RX LIBRTL MAIL SMAIL LIBSFID TO NAME 00011288-R MAIL\$MSGSUBS LIB\$FID_TO_NAME LIBSFILE_SCAN 00011E90-RX LIBRTL MAIL\$MSGSUBS LIBSFIND_IMAGE_SYMBOL MAIL SEDIT 00011E94-RX LIBRTL **MAILSCMDS** MAIL SNETSUBS MAILSISAM SUBS LIBSFID TO NAME LIBSSET FILE PROT LIBSFREE EF 00011EBC-RX LIBRIL

LIBRTL

00011ECO-RX

! Cymbol Cross Reference !

Symbol	Value	Defined By	Referenced By	
LIB\$GET_EF LIB\$GET_INPUT	00011E88-RX 00011E98-RX	LIBRTL	LIBSFID_TO_NAME MAILSEDIT	LIB\$SET_FILE_PROT
LIBSGET_VM	ŏŏŏiiĒć4-RX	LIBRTL	CLISINTERFACE MAILSIOSUBS MAILSMAIL MAILSNETSUBS	MAIL\$ADDRLIST MAIL\$ISAM SUBS MAIL\$MSGSUBS MAIL\$READ
LIB\$PUT_OUTPUT	00011E9C-RX	LIBRTL	MAIL\$SYSMAI MAIL\$EDIT	MAILSHANDLER
LIB\$RENAME_FILE	00011EA0-RX	LIBRTL	MAIL\$ISAM_SUBS MAIL\$ISAM_SUBS	MAIL\$NETSUBS MAIL\$MSGSUBS
LIB\$SCOPY_DXDX LIB\$SCOPY_R_DX LIB\$SCOPY_R_DX6 LIB\$SET_FILE_PROT LIB\$SIGNAL	00011EAC-RX 00011EA8-RX 00011EA4-RX 00011650-R	LIBRTL LIBRTL LIBRTL LIB\$SET FILE PROT	MAIL\$SET CVTTIME MAIL\$ISAM_SUBS LIB\$FID_TO_NAME MAIL\$MAIL	MAIL\$NE * SUBS
LIB\$SIGNAL	00011EB4-Rx	LIB\$SET_FILE_PROT LIBRTL	MAILSADDRLIST MAILSDIRECTORY MAILSGETUSER MAILSISAM SUBS MAILSMSGSUBS MAILSPRINT MAILSSEND_MSG MAILSSHOW	MAIL\$CMDS MAIL\$EDIT MAIL\$IOSUBS MAIL\$MAIL MAIL\$NETSUBS MAIL\$READ MAIL\$SET MAIL\$SYSMAI
LIBSSPAWN LIBSSTOP LIBSTPARSE LIBS_INVARG LIBS_INVFILSPE LIBS_STRTRU MAIL MAILSADDR_EXISTS MAILSADD_ADDR MAILSANY_ADDRESSEES	00011EB8-RX 00011EB0-RX 00011EBC-RX 00158234 0015839C 00158011 00001E10-R 00009988-R 00003AB2-R	LIBRTL LIBRTL LIBRTL LIB\$MSGDEF LIB\$MSGDEF LIB\$MSGDEF MAIL\$MAIL MAIL\$MAIL MAIL\$ADDRLIST	UTIL\$REPORT_IO_ERR MAIL\$CMDS MAIL\$MAIL MAIL\$ADDRLIST LIB\$FID_TO_NAME LIB\$FID_TO_NAME LIB\$FID_TO_NAME MAIL\$ADDRLIST MAIL\$ADDRLIST	MAIL\$EDIT MAIL\$MAIL LIB\$SET_FILE_PROT LIB\$SET_FILE_PROT
MAILSA_OUTPUI_HELP MAILSB_DFW MAILSB_MSGTRAN	00000660-R 0000026C-R 0000057C-R	MAIL\$CMDS MAIL\$MAIL MAIL\$ISAM_SUBS	MAIL\$ISAM_SUBS MAIL\$CMDS MAIL\$PRINT	MAIL\$MSGSUBS Mail\$mail Mail\$read
MAILSCHECK_DATE MAILSCHECK_FORW	00005FD4-R 0000674F-R	MAIL\$ISAM_SUBS MAIL\$SYSMAI	MAIL\$SEND_MSG MAIL\$ADDREIST	MAIL\$SHOW
MAILSCHK_CEUNODES MAILSCLOSE_FILE	00002F4C-R 00006E77-R	MAIL\$MAIL MAIL\$MSGSUBS	MAIL\$ADDRLIST MAIL\$CMDS	MAIL\$ISAM_SUBS
MAILSCLR_DIR_FLAG MAILSCMD_ATTÄCH MAILSCMD_BACK MAILSCMD_CLEAR_NAME MAILSCMD_COMPRESS MAILSCMD_CONTINUE MAILSCMD_COPY MAILSCMD_CURRENT MAILSCMD_DEFINE	00007BC7-R 00008BFA-R 00007DCD-R 0000C81F-R 000087AE-R 00007FDB-R 00007F1D-R 000089C5-R 00002E86-R	MAILSCMDS MAILSCMDS MAILSCMDS MAILSSET MAILSCMDS MAILSCMDS MAILSCMDS MAILSCMDS MAILSCMDS MAILSCMDS	MAILSMAIL MAILSMSGSUBS MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE	MAIL\$SPAWN_CMDS

Symbol	Value	Defined By	Referenced By	
MAILSCMD_DELETE	00007FB0-R	MAIL\$CMDS	MAIL\$COMMAND_TABLE	
MAILSCMD_DIRECTORY	0000813A-R	MAIL\$CMDS	MAIL\$COMMAND_TABLE	
MAILSCMD_EDIT MAILSCMD_ERASE	0000B52E-R 00001596-R	MAILSEDIT Mailsmail	MATLSCOMMAND_TABLE	MATI COMMAND TARE
_	00001390-K	MAICAMAIC	MA SCMDS MAILSDIRECTORY	MAIL\$COMMAND_TABLE MAIL\$READ
MAILSCMD_EXTRACT MAILSCMD_FIRST MAILSCMD_FORWARD MAILSCMD_HELP MAILSCMD_LAST	0000B7E0-R	MAILSPRINT	MAILSCOMMAND TABLE	
MAILSCMD_FIRST	00008A39-R	MAIL SCMDS	MAILSCOMMAND TABLE MAILSCOMMAND TABLE	
MAILSCHD_FURWARD	00002F99-R	MAILSMAIL MAILSCMDS	MAILSCOMMAND TABLE	
MAIL SCHOLLAST	0000856C-R 00008A9B-R	MAILSCMDS Mailscmds	MAIL\$COMMAND_TABLE MAIL\$COMMAND_TABLE	
MAILSCHD MOVE	000083CD-R	MAILSCMDS	MAILSCOMMAND TABLE	
MAILSCMD_NEXT	000086BB-R	MAIL\$CMDS	MAILSCOMMAND TABLE MAILSCOMMAND TABLE	
MAILSCMD_NULL	00001590-R	MAIL SMAIL	MAILSCOMMAND_TABLE	
MAILSCMD_PRINT MAILSCMD_PURGE	000085CF-R 0000873D-R	MAIL\$CMDS MAIL\$CMDS	MAIL\$COMMAND_TABLE	
MAILSCMDTREAD	00007BD6-R	MAIL\$CMDS	MAIL\$COMMAND_TABLE MAIL\$COMMAND_TABLE	MAILSMAIL
MAILSCMD_REPLY	00003370-R	MAILSMAIL	MAIL\$COMMAND_TABLE	
MAILSCMD_REPLY MAILSCMD_SEARCH MAILSCMD_SELECT MAILSCMD_SEND	0000882A-R	MAIL\$CMDS	MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE	
MAILSCHD_SELECT	0000830C-R	MAILSCMDS	MAILSCOMMAND_TABLE	
MAIL SCHO_SEND	000036AF - R 0000C832 - R	MAIL\$MAIL MAIL\$SET	MAIL\$COMMAND_TABLE	
MAILSCMD_SET_AUTO MAILSCMD_SET_DIR MAILSCMD_SET_EXIT	0000CB14-R	MAIL\$SET	MAILSCOMMAND_TABLE	
MAILSCMD_SET_EXIT	00001576-R	MAILSMAIL	MAIL\$COMMAND TABLE	
UV1F3CUD-2E	0000C96B-R	MAIL\$SET	MAILSCOMMAND TABLE	
MAILSCMD SET FORWARD	0000C4E7-R	MAIL\$SET	MAILSCOMMAND TABLE	
MAILSCMD_SET_NAME MAILSCMD_SET_NOAUTO	0000C7F7-R 0000C867-R	MAIL\$SET MAIL\$SET	MAIL\$COMMAND_TABLE MAIL\$COMMAND_TABLE	
MAILSCMD SET NODIR MAILSCMD SET NOFORWARD MAILSCMD SET QUIT MAILSCMD SET SELF MAILSCMD SET WASTE MAILSCMD SHOW ALL MAILSCMD SHOW AUTO MAILSCMD SHOW DELMSG	0000CCF2-R	MAIL\$SET	MAIL\$COMMAND_TABLE	
MAILSCMD_SET_NOFORWARD	0000C62B-R	MAIL\$SET	MAILSCOMMAND_TABLE MAILSCOMMAND_TABLE	
MAILSCMD_SET_QUIT	00001583-R	MAILSMAIL	MAIL\$COMMAND_TABLE	
MAILDUMD SET SELF	0000C635-R 0000C 8 9C-R	MAIL\$SET MAIL\$SET	MAIL\$COMMAND_TABLE MAIL\$COMMAND_TABLE	
MAIL SCMD SHOW ALL	0000092AA-R	MAIL\$SHOW	MAIL\$COMMAND_TABLE	
MAILSCMD_SHOW_AUTO	000090EA-R	MAIL\$SHOW	MAILSCOMMAND_TABLE	
I WITCHING TOWN TO CELLOO	00008EfC-R	MAIL\$SHOW	MAILSCOMMAND_TABLE	
MAILSCMD_SHOW_DIR	00009233-R	MAIL\$SHOW	MAIL\$COMMAND_TABLE	
MAILSCMD_SHOW_FILE MAILSCMD_SHOW_FOLDER	00009252-R 00008EA7-R	MAIL\$SHOW Mail\$show	MAIL\$COMMAND_TABLE MAIL\$COMMAND_TABLE	
MAILSCMD_SHOW_FUSHARD	00008D4C-R	MAIL\$SHOW	MAIL\$COMMAND_TABLE	
MAILSCMD_SHOW_KEY MAILSCMD_SHOW_NAME MAILSCMD_SHOW_NEW MAILSCMD_SHOW_SELF MAILSCMD_SHOW_WASTE	000093 <u>9</u> 0-R	MAIL\$SHOW	MAIL\$COMMAND_TABLE	
MAILSCMD_SHOW_NAME	00008F70-R	MAIL\$SHOW	MAILSCUMMAND TABLE	
MAILSCHO SHOU NEW	0000927B-R	MAIL\$SHOW	MAILSCMDS	MAIL\$COMMAND_TABLE
MAILSCHU_SHOW_SELF	00009150-R 000091E2-R	MAIL\$SHOW Mail\$show	MAIL\$COMMAND_TABLE MAIL\$COMMAND_TABLE	
MAILSCMD_SPAWR	00008814-R	MAIL\$CMDS	MAILSCOMMAND TABLE	MAIL\$SPAWN_CMDS
MAILSCOMMAND_TABLE	0000DD54-R	MAIL\$COMMAND_TABLE	MAILSMAIL	• • • •
MAIL SCOMPRESS	00004DE4-R	MAILSISAM SUBS	MAILSCMDS	MATI CMATI
MAIL\$CONFIRM MAIL\$COPY_MSGS	000096A8-R 00006244-R	MAIL\$IOSUBS Mail\$isam_subs	MAIL\$ISAM_SUBS MAIL\$CMDS	MAIL\$MAIL MAIL\$MSGSUBS
MAILSCOPY HSGS	00009F27-R	MAIL\$NETSOBS	MAIL\$ADDRLIST	HATEAHAGODA
MAILSCREATE_ISAM	00004760-R	MAIL\$ISAM_SUBS	MAIL\$SEND_MSG	
MAILSC_TMP_PRO	0000FF44	MAIL\$MAIL	MAILSEDIT"	

Symbol	Value	Defined By	Referenced By	
MAIL\$DECLINKADR	00009864-R	MAIL\$IOSUBS		
MAILSDECR_NEWMAIL	0000695B-R	MAIL\$SYSMAI	MAILSEDIT	MAIL\$ISAM_SUBS
MATI COEL EMDI TAIN	00000975_0	MATE & LOCURE	MAIL\$READ	_
MAILSDELEMPLINK MAILSDELETELINK	00009875-R 00009899-R	MAIL\$IOSUBS MAIL\$IOSUBS	MAIL\$MAIL MAIL\$ADDRLIST	MAIL SMAIL
	00007077 K	111111111111111111111111111111111111111	MAIL\$SEND_MSG	INTEGRALE
MAIL\$DELETE_I_MSG	00005A37-R	MAIL\$ISAM_SUBS	MAIL\$CMDS	
MAIL SDELETE MSG	00006DA0-R	MAIL\$MSGSUBS	MAILSCMDS	
MAILSDEL_TMPF MAILSDESELECT_MSGS	00007744-R 000051A7-R	MAIL\$MSGSUBS Mail\$Isam_subs	MAIL\$MAIL MAIL\$MSGSUBS	
MAILSDIRECTORY	0000A864-R	MAIL SDIRECTORY	MAIL SCMDS	
MAILSDIR_FOLDER	0000A9C1-R	MAIL\$DIRECTORY	MAIL\$CMDS	
MAIL\$DISABLE_CTRLC	00001444-R	MAILSMAIL	MAIL SCMDS	MAIL\$EDIT
MAILSDISABLE_CTRLY	000014C1-R	MAIL\$MAIL	MAIL\$NETSUBS MAIL\$ISAM_SUBS	
MAIL SDOWN_PRIV	00002E45-R	MAIL SMAIL	MAILSGETUSER	MAIL\$HANDLER
			MAIL\$MSGSUBS	MAIL SNOTIFY
	00001551	MAT. 455.5	MAIL\$SEND_MSG	MAIL\$SYSMAI
MAILSEDIT DEAD MCC	0000AF54-R 0000B4CC-R	MAIL\$EDIT MAIL\$EDIT	MAIL\$CMDS MAIL\$CMDS	MAIL SMAIL
MAILSEDIT READ MSG MAILSEMPTY WASTEBASKET	00005E7B-R	MAIL\$ISAM_SUBS	MAIL\$CMDS	MAIL\$MSGSUBS
MAILSENABLE_CTRLC MAILSENABLE_CTRLY	00001471-R	MAIL SMAIL	MAILSCMDS	MAIL\$NETSUBS
MAILSENABLE_CTRLY	000014EB-R	MAIL\$MAIL	MAIL\$ISAM_SUBS MAIL\$MAIL	
MAILSENTER	0000B03B-R	MAIL SEDIT	MAILSMAIL	MATI CMATI
MAILSEXTRACT MESSAGE MAILSFAO_GETMSG	0000B6B8-R 00009773-R	MAIL\$PRINT MAIL\$IOSUBS	MAILSEDIT MAILSISAM_SUBS	MAILSMAIL MAILSMAIL
· ·	00007773 K	17.12.0103003	MAIL\$SEND MSG	MAIL\$SHOW
MAILSFILE_I_MSG MAILSFILTER_OUTPUT MAILSFIND_I_MSG	00005AAA-R	MAIL\$ISAM_SUBS	MAIL\$CMDS	
MAILSFILTER_OUTPUT	0000BEE8-R	MAIL\$READ	MAILSMAIL	MAIL COIDECTORY
HATESTIND_1_H20	00005432-R	MAIL\$ISAM_SUBS	MAIL\$CMDS Mail\$print	MAIL\$DIRECTORY
MAILSFIND_MSG	000069A0-R	MAIL SMSGSUBS	MAILSCMDS	MAIL\$DIRECTORY
_			MAIL\$ISAM_SUBS	MAILSPRINT
MAILSFORM_EXTFILE	000041DB-R	MAIL\$ISAM_SUBS	MATI BOST	MATI & C. 1104.1
MAILSFORW_PRIV_CHECK MAILSGETLK_SYSMAI_REC	00002E67-R 000067D4-R	MAIL\$MAIL MAIL\$SYSMAI	MAIL\$SET MAIL\$SET	MAIL\$SHOW
MAILSGETMSG	00009747-R	MAIL\$IOSUBS	MAILSDIRECTORY	MAIL\$EDIT
			MAIL\$ISAM_SUBS	MAIL\$MAIL
			MAIL\$MSGSUBS	MAIL SNOTIFY
			MAIL\$PRINT MAIL\$SEND_MSG	MAIL\$READ MAIL\$SHOW
MAILSGET_CLUNODES	00002EB8-R	MAILSMAIL	HATE ASEMP 199	HV1F33HOM
MAIL\$GET_DEVDIR	00006844-R	MAIL\$SYSMAI	MAIL\$MAIL	MAIL\$SEND_MSG
MAILSGET_INPUT	0000A583-R	MAIL\$NETSUBS	MAIL\$CMDS	MAILSMAIL T
MAIL SCET I MSG	00005248-R	MATI CICAM CIIDC	MAIL\$MSGSUBS	MAIL SEDIT
MAIL\$GET_I_MSG	00007640-K	MAIL\$ISAM_SUBS	MAILSCMDS MAILSMAIL	MAIL SPRINT
			MAIL\$READ	
MAILSGET_MSG	00006A9F-R	MAIL \$MSGSUBS	MAIL\$CMDS	MAIL\$EDIT
			MAILSISAM_SUBS	MAIL SMAIL
MAILSGET_NEWMAIL	000068E1-R	MAIL\$SYSMAI	MAIL\$PRINT Mail\$mail	MAIL\$READ MAIL\$SHOW
I WALL AND I SHE MINISTE	AAAAAF I K	TIME FOI STIME	IIM & E VIIM & E	10.15001100

Symbol	Value	Defined By	Referenced By	
MAIL\$GET_SYSMA1_REC MAIL\$GET_USER	0000679D-R 0000C225-R	MAIL\$SYSMAI MAIL\$GETUSER	MAIL\$SHOW MAIL\$ADDRLIST	MAIL SMAIL
MAIL\$GL_BIGBUFFER MAIL\$GL_BIGBUFSIZ	00000214-R 00000210-R	MAIL\$MAIL Mail\$mail	MAIL\$SET MAIL\$ISAM_SUBS MAIL\$SEND_MSG	MAIL\$SYSMAI MAIL\$SEND_MSG
MAIL\$GL_FLAGS	00000200-R	MAIL\$MAIL	MAILSADDREIST MAILSDIRECTORY MAILSGETUSER MAILSIOSUBS MAILSMSGSUBS MAILSPRINT MAILSSEND MSG	MAIL\$CMDS MAIL\$EDIT MAIL\$HANDIER MAIL\$ISAM_SUBS MAIL\$NETSUBS MAIL\$READ MAIL\$SET
MAILSGL_SYSFLAGS MAILSG_CNCT MAILSHANDLE	00000218-R 00000278-R 0000C2D7-R	MAIL\$MAIL MAIL\$MAIL MAIL\$~ANDLER	MAIL\$SHOW MAIL\$NETSUBS MAIL\$NETSUBS MAIL\$MAIL	MAIL\$SYSMAI MAIL\$NOTIFY
MAILSINCLINKADR MAILSINCR_NEWMAIL MAILSINFO_FOLDER MAILSINFO_I_MSG	00009853-R 00006901-R 00005B71-R 00005580-R	MAIL\$IOSUBS MAIL\$SYSMAI MAIL\$ISAM_SUBS MAIL\$ISAM_SUBS	MAIL\$ADDRLIST MAIL\$ISAM_SUBS MAIL\$CMDS MAIL\$CMDS	MAIL\$SEND_MSG MAIL\$DIRECTORY MAIL\$DIRECTORY
MAILSINFO_MSG	00006B39-R	MAIL\$MSGSUBS	MAIL\$MAIL MAIL\$CMDS	MAIL\$READ MAIL\$DIRECTORY
MAIL\$INI ADDR MAIL\$IOSUB_INIT MAIL\$ISAM_INIT MAIL\$LOAD_EDT MAIL\$LOAD_LBRSHR	00004021-R 0000966C-R 00005C1C-R 0000AC44-R 00008520-R	MAIL\$ADDRLIST MAIL\$IOSUBS MAIL\$ISAM_SUBS MAIL\$EDIT MAIL\$CMDS	MAIL\$ISAM_SUBS MAIL\$MAIL MAIL\$MAIL MAIL\$MSGSUBS	MAIL SMAIL
MAIL\$LOOKUP_FILE MAIL\$L_CURMSG	00003245-R 00000598-R	MAIL\$MAIL MAIL\$ISAM_SUBS	MAIL\$CMDS MAIL\$MAIL MAIL\$PRINT	MAIL\$DIRECTORY MAIL\$MSGSUBS MAIL\$READ
MAIL\$L_DELMSGCNT MAIL\$L_INPCLASS MAIL\$L_INPDEVDP MAIL\$L_MBXBUF MAIL\$L_MBXQUO	00000574-R 00000250-R 00000254-R 00000664-R 00000668-R	MAIL\$ISAM_SUBS MAIL\$MAIL MAIL\$MAIL MAIL\$NETSUBS MAIL\$NETSUBS	TITLE THE TENT	HATEURA
MAIL\$L_MBXQUO MAIL\$L_MSGBUFSIZ MAIL\$L_MSGMAX MAIL\$L_MSGTBL	0000028-R 00000590-R 0000059C-R	MAIL\$MSGSUBS MAIL\$ISAM_SUBS MAIL\$ISAM_SUBS	MAIL\$CMDS MAIL\$CMDS	MAIL\$PRINT
MAIL SL MSG NUM	0000654-R	MAIL\$MSGSUBS	MAILSCMDS MAILSISAM_SUBS MAILSPRINT	MAIL\$DIRECTGRY MAIL\$MAIL MAIL\$READ
MAIL\$L_MSG_RADR	0000065C-R	MAIL\$MSGSUBS	MAILSCMDS MAILSISAM_SUBS MAILSPRINT	MAILSEDIT MAILSMAIL MAILSREAD
MAIL\$L_MSG_STS	00000650-R	MAIL\$MSGSUBS	MAILSCMDS MAILSISAM_SUBS MAILSPRINT	MAILSEDIT MAILSMAIL MAILSREAD
MAILSL_MYPID MAILSL_MYUIC	00000224-R 00000220-R	MAIL\$MAIL MAIL\$MAIL	MAILSEDIT MAILSISAM_SUBS MAILSSET	MAIL\$ISAM_SUBS MAIL\$SEND_MSG

_\$255\$DUA28:[MAIL.OBJ]MAIL.EXE;1

VAX-11 Linker V04-00

ı			

Symbol	Value	Defined By	Referenced By	
MAILSL_NMSG MAILSL_OUTCLASS MAILSL_OUTDEVDP MAILSL_OUTLINES	00000594-R 00000258-R	MAIL\$ISAM_SUBS MAIL\$MAIL	MAIL\$CMDS	MAIL\$PRINT
MAILSL_OUTDEVDP MAILSL_OUTLINES	0000025C-R 00000260-R	MAIL\$MAIL Mail\$mail	MAIL\$READ MAIL\$CMDS MAIL\$READ	MAIL\$DIRECTORY
MAIL\$L_RECBUF MAIL\$L_RECL_THRESHOLD	0000063C-R 00000578-R	MAIL\$MSGSUBS MAIL\$ISAM_SUBS	MAIL\$ISAM_SUBS	
MAILSL RECL THRESHOLD MAILSL SIZLIM MAILSL SMG DISPLAY MAILSL SMG KEYBOARD	0000021C-R 00000204-R 00000208-R	MAIL\$MAIL MAIL\$MAIL MAIL\$MAIL	MAIL\$ISAM_SUBS	MAIL\$SEND_MSG
MAIL\$L_SMG_KEYTABLE	00000208-R	MAIL\$MAIL	MAIL\$EDIT MAIL\$NETSUBS MAIL\$NETSUBS	MAIL\$IOSUBS MAIL\$SHOW
MAIL\$L_SYSMAIBUF	000005A0-R	MAIL\$SYSMAI	MAIL\$CMDS MAIL\$SET	MAIL\$MSGSUBS Mail\$show
MAIL\$L_USRSYSBUF MAIL\$MATCH_NAME	000005A4-R 000097A3-R	MAIL\$SYSMAI MAIL\$IOSUBS	MAIL\$MAIL MAIL\$SET MAIL\$SHOW	MAIL\$MSGSUBS Mail\$show
MAIL\$MOVE_WASTEBASKET MAIL\$NET_ADDR	00005C86-R 0000A19C-R	MAIL\$ISAM_SUBS MAIL\$NETSÜBS	MAIL\$SET MAIL\$ADDRLIST	
MAIL\$NET_END_USERS MAIL\$NET_FROM MAIL\$NET_SEND	0000A2DD-R 0000A14E-R 0000A356-R	MAIL\$NETSUBS MAIL\$NETSUBS MAIL\$NETSUBS	MAIL\$MAIL MAIL\$ADDRLIST MAIL\$SEND_MSG	
MAIL\$NEW_MSG MAIL\$NOTIFY	00006D24-R 0000DA76-R	M4IL\$MSGSUBS Mail\$notify	MAILSEDIT MAILSEDIT MAILSEND_MSG	MAIL\$READ
MAIL\$OPEN_FILE MAIL\$OPEN_IF	000070E4-R 00007A40-R	MAIL\$MSGSUBS MAIL\$CMDS	MAIL\$CMDS MAIL\$SET MAIL\$MAIL	MAIL\$ISAM_SUBS MAIL\$SET
MAILSOPEN_SYSMAI	00007440-R	MAIL\$SYSMAI	MAIL\$SHOW MAIL\$MAIL	MAILJSEI
MAILSOPEN UAF	000C A0-R 0000bB44-R	MAIL\$GETUSER MAIL\$PRINT	MAIL\$MAIL Mail\$cmds	
MAIL\$PRUNW_HANDLER MAIL\$PUT_OUTPUT	00009A6C-R 0000A68C-R	MAIL\$NETSUBS MAIL\$NETSUBS	MAIL\$ADDRLIST MAIL\$CMDS MAIL\$EDIT	MAIL\$DIRECTORY MAIL\$HANDLER
MAIL CO ATTREC	00000338 5	MAII PMAII	MAIL\$MAIL MAIL\$READ	MAIL\$PRINT MAIL\$SHOW
MAILSQ_ATTDESC MAILSQ_CALEDTNAM MAILSQ_CLUNODES	00000228-R 00000554-R 00000230-R	MAIL\$MAIL MAIL\$MAIL MAIL\$MAIL	MAIL\$NETSUBS MAIL\$EDIT	
MAILSQ_CURFOLDER	00000580-R	MAIL\$ISAM_SUBS	MAIL\$CMDS MAIL\$READ	MAIL\$DIRECTORY MAIL\$SHOW
MAILSQ_EDITNAM_DESC MAILSQ_ENHANCED_PRIVS MAILSQ_FULLUSER	00000264-R 000006B4-R 00000280-R	MAIL\$MAIL MAIL\$MAIL MAIL\$MAIL	MAIL\$EDIT MAIL\$HANDLER MAIL\$SEND_MSG	MAIL\$SET
MAILSQ_INPTRAN	00000248-R	MAILSMAIL	MAIL\$DIRETTORY MAIL\$NETSUBS	MAIL\$EDIT
MAILSQ_MAILDEF MAILSQ_MAIL_MAI	00000564-R 0000C3C8-R	MAIL\$MAIL MAIL\$SET	MAIL\$ISAM_SUBS MAIL\$SET MAIL\$MAIL	MAIL\$MSGSUBS
MAILSQ_MSGNAME MAILSQ_MSGTYPE MAILSQ_MSG_FILE	00006998-R 0000698C-R 0000640-R	MAIL\$MSGSUBS MAIL\$MSGSUBS MAIL\$MSGSUBS	MAILSCMDS MAILSCMDS MAILSDIRECTORY	MAIL\$MAIL MAIL\$MAIL MAIL\$READ

	V
	~
ļ	7
	Ŏ(0(
	O(
	Ci Ci
1	ň
	ň
	ŏ
	Ŏ
1	Ŏ(
	Ō(
	0(
1	0(
	0(
)(
	Õ
	Õ
	Ŏ
1	Ď(
	DI N
	00
	D)
	O'
	ň
	Ŏ
	000000000000000000000000000000000000000
	Ŏ
	Ō(
	0(
	00
	0(
	Ŏ
	Ŏ
	Q(
	00
	N'
	00
1	ď
1	ň
	0000000000
1	ŏ
	Ŏ
1	Ŏ
-	Ó
	000
ł	
	0
-	
- 1	

Symbol	Value	Defined By	Referenced By	
MAILSQ_MSG_FNM	00000648-R	MAIL\$MSGSUBS	MAIL SDIRECTORY	MAIL\$ISAM_SUBS
MAIL'SQ OBJDESC	00009930-R	M4IL\$NETSÜBS		
MAIL\$Q_PROCPRIV	00000240-R	MAIL\$MAIL		
MAIL\$Q PROTOCOL	0000055C-R	MAIL S MAIL	MAILSNETSUBS	_
MAIL\$Q_RD_DESC	00000C24-R	MAIL\$MSGSUBS	MAIL\$CMDS	MAIL SDIRECTORY
			MAIL\$ISAM_SUBS	MAIL\$SET
MA I. 60 A.B.	00000000		MAIL\$SHOW T	
MAIL\$Q_SUBJ	00000290-R	MAILSMAIL	MA 11 8 4 B A B 4 B 4 B 4 B 4 B 4 B 4 B 4 B 4 B	
MAIL\$Q_SYSNODE	00009544-R	MAILSMAIL	MAIL\$ADDRLIST	MAIL\$GETUSER
MATI RO CYCHONES	0000051.0-8	MATI CMATI	MAIL SNOTIFY	
MAIL &U_CACDDAMCA	0000054C-R	MAIL SMAIL	MAIL\$SEND_MSG	
MAIL\$Q_SYSNODE2 MAIL\$Q_SYSPRVMSK MAIL\$Q_TMPFILE_DESC	00000238-R 0000095C-R	MAIL\$MAIL	MATI CMCCCUDC	
MAIL\$Q_TO	0000093C=R	MAIL\$MAIL Mail\$mail	MAIL\$MSGSUBS	
MAIL\$Q_USERDEF	00000266-R	MAILSMAIL	MAIL\$ISAM_SUBS	MAIL SPRINT
HATCAG OSEKNE!	0000030C-K	MUTTANNIT	MAIL\$SET	MAILSSHOW
MAIL\$Q_USERNAME	00000270-R	MAIL S MAIL	MAIL SEDIT	MAILSISAM_SUBS
HATE OF MARIE	00000E10 K	HAILPHAIL	MAIL\$MSGSUBS	MAIL\$READ
			MAIL\$SET	MAILSSHOW
			MAIL\$SYSMAI	TIM 1 L 4 S T T W
MAIL\$Q_WASTEDESC	00000588-R	MAIL\$ISAM_SUBS	MAIL\$CMDS	MAIL\$SET
			MAIL\$SHOW	***************************************
MAIL\$READ	0000C0DC-R	MAIL\$READ	MAIL\$CMDS	
MAILSREAD ERROR TEXT	00009803-R	MAIL\$10SUBS	MAIL\$NETSUBS	
MAILSREAD FOREIGN FILE	0000A41B-R	MAIL\$NETSUBS	MAIL\$MAIL	
MAILSREAD_INFO_REC	000049F0-R	MAIL\$ISAM_SUBS	MAIL\$SHOW	
MAILSREAD_ERROR_TEXT MAILSREAD_FOREIGN_FILE MAILSREAD_INFO_REC MAILSRECLAIM	00004C25-R	MAIL\$ISAM_SUBS	MAIL\$CMDS	
MAIL2KEMOAF I M20	00005A0F-R	MAIL\$ISAM_SUBS	MAIL\$CMDS	
MAIL\$RENAME_ERROR	000070A1-R	MAIL\$MSGSUBS	MAIL\$ISAM_SUBS	
MAILSRENAME_SUCCESS	00007088-R	MAIL\$MSGSUBS_	MAIL\$ISAM_SUBS	
MAILSREWIND_I_MSG	000051F5-R	MAIL\$ISAM_SUBS	MAIL\$CMDS	MAIL\$EDIT
			MAILSMAIL	MAIL SPRINT
MAILSREWIND_MSG	00006AF9-R	MAIL\$MSGSUBS	MAIL\$CMDS	MAIL\$ISAM_SUBS
MA 1. AAA	00001011	MAT. 616AM 6166	MAILSMAIL	MAILSPRINT
MAILSSD_EXTMSGNAM	000040A4-R	MAIL\$ISAM_SUBS	MAIL\$SEND_MSG	MATI CAIRTOURG
MAILSSD_LNM_FILE_DEV	00001380-R	MAIL\$MAIL	MAIL\$ADDREIST	MAIL\$NETSUBS
MAILSSD_LNM_SYSTEM	0000136C-R	MAILSMAIL	MATI CCET	
MAIL\$SD_MAIL	00004078-R	MAIL\$ISAM_SUBS	MAIL\$SET	MATI CCEND MCC
MAIL\$SD_NEWMAIL	0000405C-R	MAIL\$ISAM_SUBS	MAIL \$MSGSUBS	MAIL\$SEND_MSG
MATI CON CETET	00007A0C-R	MAIL\$CMDS	MAIL\$SET MAIL\$SET	
MAIL\$SD_SETF1	00007A1C-R	MAIL SCMDS	MAILSSET	
MAIL\$SD_SETN1 MAIL\$SD_USER MAIL\$SELECT_MSGS	00001430-R	MAILSMAIL	MAILSSET	MAIL\$SHOW
MAIL SCELECT MCGC	00005966-R	MAIL\$ISAM_SUBS	MAIL\$CMDS	MAILSSHOW
MAIL\$SEND_ADDR	00000859-R	MAIL SSEND MSG	MAILSMAIL	
MAIL SSEND MSG	0000D78B-R	MAIL\$SEND_MSG MAIL\$SEND_MSG		
MAILSSET_NAME	0000C6CC-R	MAIL\$SET	MAIL\$MAIL	
MAIL\$SPAUN_CMDS	00010B28-R	MAIL\$SPAWN_CMDS	MAILSEDIT	
MAIL STRIP QUOTES	0000C438-R	MAIL\$SET	MAIL\$CMDS	
MAILSTEST_SEQ_NEW	00006CFC-R	MAIL\$MSGSUBS	MAIL\$ISAM_SUBS	
INTERIEST SET RET				
MAILSTEST_SUBJ	00006CB3-R	MAIL\$MSGSUBS	MAILSCMDS MAILSMAIL	MAILSISAM_SUBS Mailsprint

VAX-11 Linker V04-00

Symbol	Value	Defined By	Referenced By	
MAILST_RD_RAB	00000CDC-R	MAIL\$MSGSUBS	MAIL\$ISAM_SUBS MAIL\$READ MAIL\$SHOW	MAIL\$MAIL MAIL\$SET
MAILST_SYSMAIFAB MAILST_SYSMAIRAB MAILST_TMP_RAB	000005A8-R 000005F8-R 000004FE-R	MAIL\$SYSMAI MAIL\$SYSMAI MAIL\$MAIL	MAIL\$SET	MAIL\$SHOW
MAILST_UAF_BUFF	00000F5C-R	MAIL\$GETÜSER	MAIL\$ADDRLIST MAIL\$SEND_MSG MAIL\$SYSMAI	MAIL\$MAIL MAIL\$SET
MAILSUPCASE_Q	000096E2-R 00009709-R	MAIL\$IOSUBS MAIL\$IOSUBS	MAIL\$CMDS MAIL\$ADDRLIST MAIL\$MAIL	MAIL\$MAIL MAIL\$CMDS MAIL\$SET
MAILSUPDATE_INFO_REC MAILSUPDATE_I_MSG MAILSUPDATE_SYSMAI_REC MAILSUP_PRIV	00004AA0-R 00004975-R 000064A8-R	MAIL\$ISAM_SUBS MAIL\$ISAM_SUBS MAIL\$SYSMĀI	MAIL\$SET MAIL\$MAIL MAIL\$SET	MAIL\$MSGSUBS
MAILSUP_PRIV	00002DFE-R	MAILSMAIL	MAILSGETUSER MAILSMSGSUBS MAILSSEND_MSG	MAIL\$HANDLER MAIL\$NOTIFY MAIL\$SYSM4I
MAIL\$WRITE_MSG MAIL\$W_MSG_RSIZ	0000CE5F-R 00000658-R	MAIL\$SEND MSG MAIL\$MSGSUBS	MAILSISAM_SUBS MAILSCMDS MAILSISAM_SUBS MAILSPRINT	MAIL\$EDIT MAIL\$MAIL
MAILS TTCHAN MAILS ALTPRIJOB MAILS CAPTIVE MAILS CONABORT MAILS CREPRIJOB MAILS CREPRIJOB MAILS CATIMUSED MAILS DELMSG MAILS DELMSG MAILS DELMSGS MAILS DELWASTE MAILS DIRHDO MAILS DIRHDO MAILS DIRHDO MAILS EDITTO MAILS EDITTO MAILS FACILITY MAILS FILECONFUSED MAILS FILEMPTY MAILS FILECONFUSED MAILS ILLCHAR MAILS INFOSO MAILS INFOSO MAILS INFOSO	000026E-R 007E80F2 007E812A 007E812A 007E812A 007E8032 007E80A2 007E80A2 007E80BA 007EBEA3 007EBEA3 007EDDD0 007EDDD0 007EDDD8 007EDDD8 007EDDD8 007EDE98 007EB062	MAILSMAIL MAILMSG	MAIL\$NETSUBS	MAILSREAD

_\$255\$DUA28:[MAIL.OBJ]MAIL.EXE;1

VAX-11 Linker V04-00

Symbol	Value	Defined By	Referenced By
MAILS_INVCMD	007E806A	MAILMSG	
MAILS ISUB10	007EDDE8	MAILMSG	
MAILS ISUBZO	007EDDF0	MAILMSG	
AILS ISUBSO	007EDDF8	MAILMSG	
MAILS_ISUB50	007EDEF8	MAILMSG	
MAILS IVPROTVAL MAILS JOBENTERED MAILS LOGLINK MAILS MAIL10 MAILS MAIL20 MAILS MAIL30 MAILS MAIL40 MAILS MAIL40 MAILS MAILDIR	007E8132 007EDE38	MAILMSG MAILMSG	
AATI S I OGI INK	007E802A	MAILMSG	
MAILS MAIL 10	007EDE10	MAILMSG	
MAILS MAIL 20	ŎŎŹĔĎĔĺ Š	MAILMSG	
AAILS MAIL30	007EDF00	MAILMSG	
MAILS_MAIL40	007EDF30	MAILMSG	
MAILS MAILDIR	007EDF18	MAILMSG	
JV1FA_WV1FL1FE	007EDF20	MAILMSG	
MAILS MAILFOLDER	007EDF28	MAILMSG	
MAILS MOREMSG	007EDDC0	MAILMSG	
MAILS NAMTOOBIG	007E8092 007E807A	MAILMSG MAILMSG	
ALL S NEWFOLDER	007EBEAB	MAILMSG	
MAILS_NATIOUSIG MAILS_NETIOERR MAILS_NEWSEQ MAILS_NOFOLDER MAILS_NOMOREMSG MAILS_NOMSGPRI MAILS_NOMSGS MAILS_NONEFOUND MAILS_NONEWMAIL	007EDF10	MAILMSG	
MAILS NOFOLDER	007E80C2	MAILMSG	
MAILS_NOMOREMSG	007E8042	MAILMSG	
MAILS_NOMSGPRI	007E80EA	MAILMSG	
IAILS_NOMSGS	007E804A	MAILMSG	
AILS_NONEFOUND	007EDFA0	MAILMSG	
IAILS_NONEWMAIL IAILS_NOPARENT	007EDF40	MAILMSG	
INTEA WOLVELLI	007EDF90	MAILMSG	MATI &CETUCED
IAIL\$_NOSUCHUSR IAIL\$_NOSUCHUSRAT	007E801A 007E8102	MAILMSG	MAIL\$GETUSER
ATI & MOTCAL FOT	007E811A	MAILMSG MAILMSG	MAIL\$GETUSER
AILS_NOTCALEDT IAILS_NOTEXIST IAILS_NOTFOUND IAILS_NOTIFY10 IAILS_NOTIFY20 IAILS_NOTIFY30	007E80CA	MAILMSG	
AILS NOTFOUND	007E8072	MAILMSG	
AILS NOTIFY10	007EDE28	MAILMSG	
IAILS_NOTIFY20	007EDE30	MAILMSG	
AILS_NOTIFY30	007EDF80	MAILMSG	
AILS_NOTIFY40	007EDF88	MAILMSG	
AILS NOTIFY40 AILS NOTISAM AILS NOTREADIN AILS NOTSUBDIR	007E80AA	MAILMSG	
AILD NUIKEAUIN	007E8022	MAILMSG	
AILS_PRESRET	007E80D2 007EDE00	MAILMSG MAILMSG	
AILS_RECLPLSWAIT	007EBEB3	MAILMSG	
ATI CTAT	007EBE98	MAILMSG	
AILS RECTOBIG	007E813A	MAILMSG	
AILS REENTER	007EBEBB	MAILMSG	
AIL\$_REPLY	007EDEC0	MAILMSG	
AILS_RETCONT	007EDF08	MAILMSG	
IAILS_SELECTED	007EBE83	MAILMSG	
IAILS RECTOBIG IAILS REENTER IAILS REENTER IAILS RETCONT IAILS SELECTED IAILS SEND IAILS SENDABORT IAILS SENDERR	007EDEB8	MAILMSG	
NATI & CENVEDD NATI & CENVEDD	007E805A 007E803A	MAILMSG	
MAILS_SENDERRAT	007E810A	MAILMSG MAILMSG	
AAIL\$_SHOW10	007EDE40	MAILMSG	
····	AALPREAA	11114 6715 9	

Symbol	Value	Defined By	Referenced By	
MAILS_SHOW100	007EDE88	MAILMSG		
MAILS_SHOWITO MAILS_SHOWI20	007EDE90 007EDEC8	MAILMSG MAILMSG		
MAILS_SHOW110 MAILS_SHOW120 MAILS_SHOW130	007EDED0	MAILMSG		
MAILS SHOW140 MAILS SHOW150	007EDEE0 007EDEE 8	MAILMSG MAILMSG		
MAILS_SHOW160	007EDEF0	MAILMSG		
MAIL\$_SHOW20	007EDE48	MAILMSG		
MAILS SHOW 30 MAILS SHOW 40	007EDE50 007EDE58	MAILMSG MAILMSG		
MAIL\$ SHOWSO	007EDE60	MAILMSG		
MAILS SHOW40 MAILS SHOW50 MAILS SHOW60 MAILS SHOW70 MAILS SHOW80 MAILS SHOW90 MAILS SHOW90 MAILS SHOWE Y 10	007EDE68 007EDE70	MAILMSG MAILMSG		
MAIL\$ SHOW80	007EDE78	MAILMSG		
MAILS SHOW90	007EDE80 007EDF48	MAILMSG MAILMSG		
MAIL\$_SHOWKEY20	007EDF50	MAILMSG		
MAILS_SHOWKEY30	007EDF58	MAILMSG		
MAILS_SHOWKEY40 MAILS_SHOWKEY50	007EDF60 007EDF68	MAILMSG MAILMSG		
MAILS SHOWKE YOU	007EDF70	MAILMSG		
MAILS_SHOWKEY/O	007EDF78 007E800A	MAILMSG MAILMSG	MAIL\$GETUSER	
MAILS UAFOPNERR	007E8012	MAILMSG	MAILSGETUSER	
MAILS USERDSABL	007E8C82 007E8052	MAILMSG MAILMSG		
MAILS SHOWKEYOO MAILS SHOWKEYOO MAILS SHOWKEYOO MAILS UAFGETERR MAILS UAFOPNERR MAILS USERDSABL MAILS USERSPEC MAILS WANTOSEND MAILS YOUHAVENEW	007EDE20	MAILMSG		
MAILS YOUHAVENEW	007EDE08	MAILMSG	MATIECMNC	
OTS\$SCOPY_DXDX OTS\$SCOPY_R_DX	00011E64-RX 00011E68-RX	LIBRTL LIBRTL	MAIL\$CMDS Mail\$msgsubs	
RMS\$_CRMP	00010140	RMS\$GLOBALS	MAIL\$GETUSER	
RMS\$TEOF RMS\$TRLK	0001827A 000182AA	RMS\$GLOBALS RMS\$GLOBALS	MAIL\$ADDRLIST MAIL\$GETUSER	
RMS\$_RNF	000182B2	RMS\$GLOBALS	MAIL\$GETUSER	
SMG\$TREATE_KEY_TABLE SMG\$CREATE_PASTEBOARD	00011EE8-RX 00011EF0-RX	SMGSHR SMGSHR	MAIL\$MAIL Mail\$mail	
SMGSCREATE_VIRTUAL_KEYBOARD	00011EDC-RX	SMGSHR	MAILSMAIL	
SMG\$CREATE_VIRTUAL_KEYBOARD SMG\$DEFINE_KEY SMG\$DELETE_VIRTUAL_KEYBOARD	00011EE4-RX	SMGSHR	MAILSMAIL	
SMGSERASE_PASTEBOARD	00011EEC-RX	SMGSHR SMGSHR	MAIL\$MAIL Mail\$mail	
SMGSLIST REY DEFS	00011EE0-RX	SMGSHR	MAILSSHOW	
SMGSREAD_COMPOSED_LINE SMGSREAD_STRING	00011ED4-RX 00011ED8-RX	SMGSHR SMGSHR	MAILSNETSUBS Mail s edit	MAIL\$10SUBS
SMG\$_EOF	00128402	SMG\$MSGDEF	MAIL\$EDIT	MAIL SMAIL
SS\$_ACCVIO	0000000	SYS\$SSDEF	MAIL\$NETSUBS MAIL\$HANDLER	
SS\$_CONTINUE	00000001	SYS\$SSDEF	MAÏLSHANDLĒR	
SSS_CONTINUE SSS_RESIGNAL	00000918	SYS\$SSDEF	MAIL\$HANDLER	
STRBANALYZE_SDESC STRBANALYZE_SDESC_R1	00011E48-RX 00011E4C-RX	LIBRTL LIBRTL	CLI\$INTERFACE MAIL\$IOSUBS	
STRSAPPEND	00011E50-RX	LIBRTL	MAIL\$ISAM_SUBS	MAIL SMAIL
			MAIL\$SET	MAIL\$SHOW

ı	
١	١
	•
	1
I]
ł	1
١	í
ı	T
1	ľ
ı	P
١	ė
١	
l	
ļ	ı
	1
ı	:
l	Ţ
ı]
ł	
l	1
l	ı
ı	
l	
l	
ı	
ł	
l	ı
ļ	_
l	_
ŀ	
l	
l	
ı	
ı	
ł	
l	1
l	
ı	
l	ı
ı	•
l	
l	1
ı	
l	
l	
l	Ī
l	
l	
١	•
l	
l	1
ı	•
l	Į
ļ	•
l	F F F
١	ļ
l	ı
l	-
1	•

Symbol	Value	Defined By	Referenced By	
STR\$CONCAT	00011E54-RX	LIBRTL	MAIL\$SYSMAI MAIL\$EDIT MAIL\$MAIL MAIL\$SEND_MSG	MAIL\$ISAM_SUBS MAIL\$PRINT MAIL\$SET
STRSCOPY_DX	00011E58-RX	LIBRTL	MAIL\$SHOW CLI\$INTERFACE MAIL\$EDIT MAIL\$MAIL	MAIL\$CMDS MAIL\$ISAM_SUBS MAIL\$MSGSUBS
STR\$FREE1_DX	00011E5C-RX	LIBRTL	MAILSPRINT MAILSSET MAILSSYSMAI MAILSCMDS MAILSEDIT MAILSMAIL MAILSPRINT	MAIL\$SEND_MSG MAIL\$SHOW MAIL\$DIRECTORY MAIL\$ISAM_SUBS MAIL\$MSGSUBS MAIL\$SET
STRSTRIM	00011E60-RX	LIBRTL	MAIL\$SHOW MAIL\$ISAM_SUBS	MAILSMAIL
SYSSASCTIM SYSSASSIGN	7FFEDE48 7FFEDE50	SYS\$P1_VECTOR SYS\$P1_VECTOR	MAILSISAM_SUBS MAILSSHOW CVTTIME LIBSFID TO NAME MAILSISAM_SUBS	LIB\$SET_FILE_PROT MAIL\$MAIL
SYSSBINTIM SYSSBRKTHRUW SYSSCANCEL SYSSCANEXH SYSSCLI	7FFEDE58 7FFEE4E8 7FFEDE60 7FFEEOCO 7FFEDE18	SYS\$P1_VECTOR SYS\$P1_VECTOP SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR	CVTTIME MAIL\$NOTIFY MAIL\$MAIL MAIL\$MSGSUBS CLI\$INTERFACE	MAIL\$ISAM_SUBS MAIL\$NETSUBS MAIL\$PRINT
SYS\$CLOSE	7FFEE1B8	SÝS\$PÍŢVĒČTOR	MAIL\$ADDRLIST MAIL\$ISAM_SUBS MAIL\$MSGSUBS MAIL\$SEND_MSG	MAIL\$EDIT MAIL\$MAIL MAIL\$PRINT MAIL\$SYSMAI
SYS\$CONNECT	7FFEE1CO	SYS\$P1_VECTOR	MAIL\$ADDREIST MAIL\$GETUSER MAIL\$MAIL MAIL\$NETSUBS	MAILSEDIT MAILSISAM_SUBS MAILSMSGSUBS MAILSPRINT
SYS\$CREATE	7FFEE1C8	SYS\$P1_VECTOR	MAIL\$SEND_MSG MAIL\$EDIT MAIL\$MAIL	MAIL\$SYSMAI MAIL\$ISAM_SUBS MAIL\$PRINT
SYS\$DASSGN	7FFEDEE0	SYS\$P1_VECTOR	MAIL\$SEND_MSG LIB\$FID_TO_NAME MAIL\$IOSUBS	MAIL\$SYSMAI LIB\$SET_FILE_PROT MAIL\$ISAM_SUBS
SYS\$DCLEXH	7FFEDEFO	SYS\$P1_VECTOR	MAIL\$NETSUBS MAIL\$MAIL MAIL\$PRINT	MAIL\$MSGSUBS
SYS\$DELETE SYS\$DISCONNECT SYS\$DISPLAY	7FFEE168 7FFEE1D0 7FFEE1D8	SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR	MAIL\$ISAM SUBS MAIL\$NETSUBS MAIL\$SEND_MSG	MAIL\$SEND_MSG MAIL\$SEND_MSG
SYSSERASE SYSSEXIT	7FFEE1E0 7FFEDF40	SYS\$P1_VECTOR SYS\$P1_VECTOR	MAIL\$ISAM ^T SUBS MAIL\$HANDEER	MAIL\$MSGSUBS
SYS\$FAO	7FFEDF50	SYS\$P1_VECTOR	MAILSEDIT MAILSMAIL MAILSEAND MSC	MAIL\$ISAM_SUBS MAIL\$NOTIFY
SYS\$FAOL	7FFEDF58	SYS\$P1_VECTOR	MAIL\$SEND_MSG MAIL\$IOSUBS	MAIL\$NETSUBS

Symbol	Value	Defined By	Referenced By	
SYSSFILESCAN	7FFEE278	SYSSP1_VECTOR SYSSP1_VECTOR SYSSP1_VECTOR SYSSP1_VECTOR	LIBSFID_TO_NAME	
SYSSFIND SYSSFLUSH	7FFEE170 7FFEE1F0	SYSSP1_VECTOR	MAILSISĀM SUBS	MAIL\$SEND_MSG
SYSSGET	7FFEE180	SYSSPI VECTOR	MAIL\$MSGSUBS MAIL\$ADDRLIST	MAIL\$SYSMÄI MAIL\$GETUSER
			MAIL\$ISAM_SUBS	MAILSMAIL
			MAIL\$MSGSUBS	MAIL\$NETSUBS
			MAIL\$SEND_MSG MAIL\$SHOW	MAIL\$SET MAIL\$SYSMAI
SYS\$GETDVI	7FFEE410	SYS\$P1_VECTOR	LIBSFID_TO_NAME	MAIL#STSMAI
SYS\$GETDVIW	7FFEE418	CYCEP1 VFCTOR	MAILSMAIL	
SYS\$GETJPIW SYS\$GETMSG	7FFEE420	SYSSPI_VECTOR	MAIL SCMDS	MAIL\$MAIL
SYS\$GETQUIW	7FFEE0B0 7FFEE500	SYSSPI_VECTOR	MAIL\$IOSUBS Mail\$print	
SYSSGETSYIW	7FFEE430 7FFEDF78	SYSSPI_VECTOR SYSSPI_VECTOR SYSSPI_VECTOR SYSSPI_VECTOR SYSSPI_VECTOR SYSSPI_VECTOR	MAILSMAIL	
SYS\$GETTIM	7FFEDF78	SYS\$P1_VECTOR	CVTTIME	MAIL\$SEND_MSG
SYS\$HIBER	7FFEDF88	SYS\$PT_VECTOR	MAIL\$GETUSER	MAIL\$ISAM_SUBS
SYS\$OPEN	7FFEE208	SYS\$P1_VECTOR	MAIL\$SYSMAI Mail\$addrlist	MAIL\$EDIT
		0.00. (_V20.0)	MAIL\$GETUSER	MAIL\$ISAM_SUBS
CUCCOADCE	7555570	AVAARA	MAIL\$MAIL	MAIL\$MSGSŪBS
SYS\$PARSE	7FFEE230	SYS\$P1_VECTOR	LIB\$SET_FILE_PROT	MAIL SEDIT
SYS\$PURGWS	7FFEDFB0	SYS\$P1_VECTOR	MAIL\$ISĀM_SUBS Mail\$cmps	MAIL\$MSGSUBS MAIL\$MAIL
SYSSPUT	7FFEE188	SYS\$P1_VECTOR	MAILSEDIT	MAIL\$ISAM_SUBS
		-	MAILIMAIL	MAIL\$MSGSUBS
			MAIL\$PRINT	MAIL\$SEND_MSG
SYS\$PUTMSG	7FFEE0E0	SYS\$P1_VECTOR	MAIL\$SYCMAI Mail\$edi:	MAIL\$HANDLER
		-	MAIL\$ISAM_SUBS	MAIL SNETSUBS
SYS\$QIOW	7FFEDE00	SYS\$P1_VECTOR	LIB\$FID_TO_NAME	LIB\$SET_FILE_PROT
			MAILSISĀM SUBS MAILSNETSŪBS	MAILSMAIL -
SYS\$READ	7FFEE190	SYS\$P1_VECTOR	MAIL\$ISAM_SUBS	MAIL\$NETSUBS
		_	MAIL\$SEND_MSG	
SYS\$REWIND	7FFEE210	SYS\$P1_VECTOR	MAIL\$MSGSDBS	MAIL\$SEND_MSG
SYS\$SCHDWK	7FFEDFF0	SYS\$P1_VECTOR	MAIL\$SHOW Mail\$getuser	MAIL\$ISAM_SUBS
31303011041	***************************************	313971_VECTOR	MAIL\$SYSMAI	HAIL#13AH_30B3
SYS\$SEARCH	7FFEE248	SYS\$P1_VECTOR	LIBSSET FILE PROT	MAIL\$EDIT
CVCECETNERRAT	70000369	CYCEDI VECTOR	MAILSISAM SUBS	MAIL\$MSGSUBS
SYS\$SETDFPROT SYS\$SETPRV	7ffEE258 7ffEE100	SYS\$P1_VECTOR SYS\$P1_VECTOR	LIB\$SET_FILE_PROT MAIL\$MAIL	
SYS\$SNDJBCW	7FFEE438	SYSSP1_VECTOR	MAILSPRINT	
SYS\$TRNLNM	7FFĒE490	SYS\$P1_VECTOR	MAIL\$ADDRLIST	MAIL\$MAIL
CVCCIMATIO	75555070	CYCED1 VECTOR	MAIL SNETSUBS	MATI ETCAM CUDC
SYSSUNWIND	7FFEE070	SYS\$P1_VECTOR	MAILSEDIT MAILSNETSUBS	MAIL\$ISAM_SUBS
SYSSUPDATE	7FFEE1A0	SYSSP1_VECTOR	MAIL\$ISAM_SUBS	MAIL\$SEND_MSG
SYS\$WAIT	7FFEE1A8	SYS\$P1_VECTOR	MAIL\$MSGSUBS	22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
SYSSWAITER	7FFEE078	SYS\$P1_VECTOR SYS\$P1_VECTOR SYS\$P1_VECTOR	LIBSFID_TO_NAME	MAIL CCENT MCC
SYSSWRITE UAFSL_FLAGS	7FFEE1B0 000001D4	MAILSGETUSER	MAILSMAIL Mailsaddrlist	MAIL\$SEND_MSG
ONI PLATENCE	00000104	HATE-OF LOSEK	MUTCAMONETOI	

J 15 16-SEP-1984 04:38

VAX-11 linker V04-00

18 Page

Symbol Defined By Referenced By ... Value MAILSADDRLIST
MAILSISAM SUBS
MAILSMSGSUBS
MAILSMSGSUBS
MAILSSEND MSG
MAILSADDREIST
MAILSISAM SUBS
MAILSMSGSUBS
MAILSPRINT
MAILSSET UAFSV_NOMAIL UTILSGETFILENAME 0000007 MAIL\$GETUSER UTIL\$REPORT_IO_ERR MAILSMAIL MAILSPRINT 00011A38-R MAILSET MAILSEDIT UTILSREPORT_10_ERROR 00011A74-R UTIL\$REPORT_IO_ERR MAIL SMAIL MAIL SNETSUBS MAIL\$SEND_MSG MAIL\$SYSMAI

! Symbols By Value !

```
SS$ CONTINUE
UAF$V NOMAIL
SS$ ACCVIO
MAIC$ FACILITY
UAF$L FLAGS
R-MAIL$L SMG_DISPLAY
R-MAIL$L SMG_KEYBOARD
R-MAIL$L SMG_KEYTABLE
R-MAIL$GL_BIGBUFFER
R-MAIL$GL_BIGBUFFER
R-MAIL$L STLIM
R-MAIL$L MYPID
R-MAIL$L MYPID
R-MAIL$L MYPID
R-MAIL$L MYPID
R-MAIL$Q ATTDESC
R-MAIL$Q SYSPRVMSK
R-MAIL$Q SYSPRVMSK
R-MAIL$Q INPTRAN
R-MAIL$Q INFOLOR
R-MAIL$Q INFO
   Value
   0000001
   0000007
   000000C
   000007E
000001D4
00000200
00000208
0000020C
00000210
00000214
00000218
00000224
00000228
00000228
00000230
00000238
00000240
00000250
00000258
   00000104
   00000258
   0000025C
 00000260
 00000264
 00000260
 0000026E
 00000270
 00000278
 00000280
 00000288
 00000290
 000004FE
 00000544
 00000540
   00000554
   0000055C
   00000564
   00000560
   00000574
   00000578
   00000570
   00000580
   00000588
   00000590
                                                                                                      R-MAIL$L NMSG
R-MAIL$L CURMSG
R-MAIL$L MSGTBL
   00000594
  00000598
   00000590
```

Symbols...

P q q q q

d P q

d r P g

d

r

q

d

r

P

q

r

q

P

g

d q

O

q

d

d

p

```
Value
                                                                            R-MAILSL_SYSMAIBUF
R-MAILST_SYSMAIFAB
R-MAILST_SYSMAIFAB
R-MAILST_SYSMAIRAB
R-MAILST_RECBUF
R-MAILSQ_MSG_FILE
R-MAILSQ_MSG_FILE
R-MAILSQ_MSG_FIMM
R-MAILSU_MSG_STS
R-MAILSU_MSG_NUM
R-MAILSU_MSG_RADR
R-MAILSU_MSG_RADR
R-MAILSL_MBXBUF
R-MAILSL_MBXBUF
R-MAILSL_MBXBUF
R-MAILSQ_ENHANCED_PRIVS
SSS_RESIGNAL
R-MAILSQ_ENHANCED_PRIVS
SSS_RESIGNAL
R-MAILSQ_ENHANCED_PRIVS
R-MAILSQ_ENHANCED_PRIVS
SSS_RESIGNAL
R-MAILSQ_ENHANCED_PRIVS
R-MAILSQ_ENHANCED_PRIVS
SSS_RESIGNAL
R-MAILSQ_ENHANCED_PRIVS
R-MAILSQ_ENHANCED_PRIVS
SSS_RESIGNAL
R-MAILSQ_ENHANCED_PRIVS
R-MAILSQ_ENHA
   000005A0
    000005A4
    000005A8
    000005F8
    1000063C
    00000640
   00000648
   00000650
   00000654
   00000658
   00000650
   00000660
   00000664
   88600000
   000006B4
   00000918
   0000095C
   00000024
   00000CDC
   00000D28
   00000F5C
   0000136C
   00001380
   00001430
   00001444
   00001471
   00001461
  000014EB
  00001576
  00001583
  00001590
  00001596
                                                                                R-MAILSCMD_ERASE
                                                                               R-MAIL
  00001E10
                                                                              R-MAILSUP PRIV
R-MAILSDOWN_PRIV
  00002DFE
  00002E45
  00002E67
                                                                                R-MAILSFORW_PRIV_CHECK
                                                                              R-MAILSCMD_BEFINE
R-MAILSGET_CLUNODES
R-MAILSCHK_CLUNODES
R-MAILSCMD_FORWARD
 00002E86
00002E88
00002F86
00002F99
00003245
00003370
000036AF
00003AB2
                                                                           R-MAIL$CMD_FORWARD
R-MAIL$LOORUP_FILE
R-MAIL$CMD_REPLY
R-MAIL$CMD_SEND
R-MAIL$ADD_ADDR
R-MAIL$ANY_ADDRESSES
R-MAIL$INI_ADDR
R-MAIL$SD_NEWMAIL
R-MAIL$SD_MAIL
R-MAIL$SD_EXTMSGNAM
R-MAIL$FORM_EXTFILE
R-MAIL$CREATE_ISAM
R-MAIL$UPDATE_I_MSG
  00004021
 0000405C
00004078
   000040A4
000041DB
0004760
00004975
```

d

Q

d

a

d

p

q

d

q

q

Q

O q

VAX-11 Linker V04-00

```
Value
000049F0
                      R-MAIL SREAD INFO REC
R-MAIL SUPPATE INFO REC
00004AA0
                      R-MAILSRECLAIM
00004025
00004DE4
000051A7
000051F5
00005248
00005432
                      R-MAILSCOMPRESS
                      R-MAILSCOMPRESS
R-MAILSDESELECT_MSGS
R-MAILSREWIND_I_MSG
R-MAILSGET_I_MSG
R-MAILSFIND_I_MSG
R-MAILSINFO_I_MSG
R-MAILSSELECT_MSGS
00005580
00005966
                      R-MAIL$REMOVE_I_MSG
R-MAIL$DELETE_I_MSG
R-MAIL$FILE_I_MSG
R-MAIL$INFO_FOLDER
00005A0F
00005A37
00005AAA
00005B71
00005010
                      R-MAILSISAM INIT
                      R-MAILSMOVE WASTEBASKET
R-MAILSEMPTY WASTEBASKET
00005086
00005E7B
00005FD4
                      R-MAILSCHECK DATE
                      R-MAILSCOPY MSGS
00006244
                      R-MAILSUPDATE SYSMAI_REC
R-MAILSOPEN SYSMAI
R-MAILSCHECK_FORW
000064A8
00006529
0000674F
                      R-MAILSGET SYSMAI REC
R-MAILSGETEK_SYSMAI_REC
0000679D
00006704
                      R-MAILSGET_DEVDIR
R-MAILSGET_NEWMAIL
R-MAILSINCR_NEWMAIL
00006844
000068E1
00006901
0000695B
                      R-MAILSDECR_NEWMAIL
                      R-MAILSQ_MSGTYPE
R-MAILSQ_MSGNAME
R-MAILSFIND_MSG
00006980
00006998
000069A0
00006A9F
                      R-MAILSGET_MSG
                      R-MAILSREWIND MSG
00006AF9
00006B39
                      R-MAILSINFO_MSG
                      R-MAILSTEST_SUBJ
R-MAILSTEST_SEQ_NEW
00006CB3
00006CFC
00006D24
                      R-MAIL SNEW_ASG
                      R-MAILSDELETE MSG
R-MAILSCLOSE FILE
00006DA0
00006E77
                     R-MAILSCLUSE FILE
R-MAIL$RENAME_SUCCESS
R-MAIL$RENAME_ERROR
R-MAIL$OPEN_FILE
R-MAIL$DEL_TMPF
R-MAIL$SD_SETF1
R-MAIL$SD_SETN1
R-MAIL$OPEN_IF
00007088
000070A1
000070E4
00007744
00007A0C
00007A1C
00007A40
00007BC7
                      R-MAILSCLR_BIR_FLAG
                      R-MAILSCMD READ
R-MAILSCMD BACK
R-MAILSCMD CONTINUE
R-MAILSCMD COPY
00007BD6
00007DCD
00007EDB
00007F1D
00007FB0
                      R-MAILSCMD_DELETE
```

Value R-MAILSCMD_DIRECTORY R-MAILSCMD_SELECT R-MAILSCMD_MOVE 0000813A 00005300 00008300 R-MAILSCMD MOVE
R-MAILSLOAD LBRSHR
R-MAILSCMD FELP
R-MAILSCMD PRINT
R-MAILSCMD NEXT
R-MAILSCMD PURGE
R-MAILSCMD COMPRESS
R-MAILSCMD SEARCH
R-MAILSCMD CURRENT
R-MAILSCMD FIRST
R-MAILSCMD LAST 00008520 00008560 000085CF 0000868B 00 30873D 000087AE 0000882A 00008905 R-MAILSCMD FIRST
R-MAILSCMD LAST
R-MAILSCMD SPAWN
R-MAILSCMD SHOW FORWARD
R-MAILSCMD SHOW FOLDER
R-MAILSCMD SHOW DELMSG
R-MAILSCMD SHOW NAME
R-MAILSCMD SHOW AUTO
R-MAILSCMD SHOW SELF
R-MAILSCMD SHOW WASTE
R-MAILSCMD SHOW FILE
R-MAILSCMD SHOW ALL
R-MAILSCMD SHOW ALL
R-MAILSCMD SHOW KEY
R-MAILSCMD SHOW KEY
R-MAILSCONFIRM 00008A39 00008A9B 00008B14 00008BFA 00008D4C 00008EA7 00008EFC 00008F70 000090EA 00009150 000091E2 00009233 0000927B 000092AA 00009390 00009660 000096A8 R-MAILSCONFIRM 000096E2 R-MAIL SUPCASE 00009709 R-MAIL SUPCASE_Q 00009747 R-MAIL SGETMSG R-MAILSFAO_GETMSG 00097A3 R-MAILSMATTH_NAME R-MAILSREAD ERROR TEXT R-MAILSINCLINKADR U0009803 00009853 00009864 00009875 00009899 00009930 00009988 R-MAIL SDECLINKADR R-MAIL SDELEMPLINK R-MAIL SDELETEL INK R-MAILSQ_OBJDESC R-MAILSADDR EXISTS R-MAILSPRUND HANDLER R-MAILSCREATELINK 00009A6C 00009F27 R-MAILSCREATELINK
R-MAILSNET_FROM
R-MAILSNET_ADDR
R-MAILSNET_END_USERS
R-MAILSNET_SEND
R-MAILSREAD_FOREIGN_FILE
R-MAILSGET_INPUT
R-MAILSDIRECTORY
R-MAILSDIRECTORY 0000A14E 0000A19C 0000A2DD 0000A356 0000A41B 0000A583 0000A68C 0000A864 0000A9C1 R-MAILSDIR_FOLDER

```
Value
                                                                                                                                                                                                                               Symbols...
  0000AC44
                                                                         R-MAIL$LOAD_EDT
R-MAIL$EDIT
                                                                      R-MAILSLOAD EDT
R-MAILSEDIT READ MSG
R-MAILSENTER
R-MAILSENT READ MSG
R-MAILSCMD EDIT
R-MAILSEXTRACT MESSAGE
R-MAILSCMD EXTRACT
R-MAILSPRINT
R-MAILSPRINT
R-MAILSPEAD UAF
R-MAILSCEAD UAF
R-MAILSCEAD SET FORWARD
R-MAILSCMD SET FORWARD
R-MAILSCMD SET NOFORWARD
R-MAILSCMD SET NAME
R-MAILSCMD SET NOAUTO
  0000AF54
  0000B03B
0000B4CC
0000B52E
0000B6B8
 0000B7E0
 0000BB44
0000BEE8
0000C0DC
0000C1A0
0000C225
0000C2D7
0000C3C8
 0000C4E7
 0000C62B
 00000635
 22920000
 0000C7F7
 0000C81F
 00000832
 00000867
00000890
 0000C96P
0000CF36
0000CE5F
0000CE5F
0000D859
0000DA76
0000DB40
                                                                        R-CLISPRESENT
                                                                     R-CLISPRESENT
R-CLISGET_VALUE
R-CLISDCL_PARSE
R-CLISDISPATCH
R-CLISNEXT QUAL
R-MAILSCOMMAND TABLE
MAILSC TMP_PRO
R-MAILSSPAWN CMDS
R-LIBSCVT_TIME
R-LIBSCVT_ATIME
R-LIBSCVT_DTIME
R-LIBSFID_TO NAME
R-LIBSSET_FICE_PROT
R-DECNUM_REY
R-ADDR_KEY
 0000DB83
0000DC0F
0000DCC0
0000DD01
2000DD54
 0000FF44
00010B28
00010F0C
 0001104D
00011078
00011286
00011650
 00011846
                                                                                                                                                                                                                                                    R-EDITQUAL_KEY
                                                                       R-ADDR KEY
R-DECNUM STATE
R-EDITQUAL STATE
R-GETNUM STATE
R-ADDR STATE
R-UTIL SGETFILENAME
0001184E
                                                                                                                                                                                                                                                    R-GETNUM_KEY
 00011862
 0001186E
 00011892
 00011886
  20011A38
 00011A74
                                                                        R-UTIL$REPORT_10_ERROR
```

```
Value
                                                                                                                                                         Symbols...
 00011E48
                                               RX-STRSANALYZE_SDESC_R1
 00011E4C
  00011E50
                                               RX-STR$APPEND
00011E54
00011E58
00011E5C
                                              RX-STRSCONCAT
RX-STRSCOPY_DX
RX-STRSFREET_DX
                                           RX-STRSTRIM

RX-OTS$SCOPY_DXDX

RX-OTS$SCOPY_R_DX

RX-LIB$ANALYZE_SDESC_R2

RX-LIB$ASN_WTH_MBX

RX-LIB$ATTACH

RX-LIB$CISABLE_CTRL

RX-LIB$CREATE_DIR

RX-LIB$CREATE_DIR

RX-LIB$CREATE_DIR

RX-LIB$CREATE_DIR

RX-LIB$FIE_EF

RX-LIB$FIE_SCAN

RX-LIB$FIND_IMAGE_SYMBOL

RX-LIB$FIND_IMAGE_SYMBOL

RX-LIB$FIND_IMAGE_SYMBOL

RX-LIB$CT_TNPUT

RX-LIB$CT_TNPUT

RX-LIB$COPY_R_DX

RX-LIB$SCOPY_R_DX

RX-LIB$SCOPY_DXDX

RX-LIB$SCOPY_DXDX
 00011E60
                                               RX-STR$TRÎM
 00011E64
00011E68
00011E6C
00011E70
00011E74
00011E78
00011E7C
00011E80
00011E84
00011E8C
00011E9C
00011E98
00011E98
 00011EA4
 00011EA8
 00011EAC
 00011EB0
                                              RX-LIB$STOP
                                             RX-LIB$SIGNAL
RX-LIB$SPAWN
 00011EB4
 00011EB8
                                           RX-LIB$SPAWN
RX-LIB$TPARSE
RX-LIB$FREE VM
RX-LIB$GET VM
RX-SMG$DELETE VIRTUAL KEYBOARD
RX-SMG$READ COMPOSED LINE
RX-SMG$READ STRING
RX-SMG$CREATE VIRTUAL KEYBOARD
RX-SMG$CREATE VIRTUAL KEYBOARD
RX-SMG$LIST KEY DEFS
RX-SMG$DEFINE KEY
RX-SMG$CREATE KEY TABLE
RX-SMG$CREATE PASTEBOARD
RX-SMG$CREATE PASTEBOARD
RMS$_EOF
00011EBC
00011EC0
00011EC4
00011ED0
 00011ED4
 00011ED8
 00011EDC
 00011EE0
 00011EE4
 00011EE8
 00011EEC
00011EEC
00011EF0
0001827A
000182B2
0001C14C
000380B0
000381F0
000381F8
00038230
0003FD19
0003FD29
                                                       -SMG$CREATE_PAS1
RMS$_EOF
RMS$_RLK
RMS$_RNF
RMS$_CRMP
CLI$_NOCOMD
CLI$_ABSENT
CLI$_NEGATED
CLI$_LOCNEG
CLI$_PRESENT
CLI$_DEFAULTED
CLI$_CONCAT
```

Page

Value	
0003FD31	CL1\$_LOCPRES
0003FD39	CLIS COMMA
	CEID COMMA
00128402	SMG\$_EOF
00158011	LIB\$ STRTRU
00158234	LIB\$TINVARG
00158390	
	LIB\$ INVFILSPE
007E800A	MAIL\$_UAFGETERR
007E8012	MAILS_UAFOPNERR
007E801A	MATES NOSUCHUSE
007FR022	MATE & MOTDE AD TA
007E802A	MATIR LOCITAL
OUTEOUZA	MAIL 3 LUGLINK
007E8032	MAIL\$_CREPRIJOB
007E803A	MAILS SENDERR
007E8042	MATI S NOMOREMSG
007E804A	MATI & NOMECE
00750075	MAILS UAFOPNERR MAILS NOSUCHUSR MAILS NOTREADIN MAILS LOGLINK MAILS CREPRIJOB MAILS SENDERR MAILS NOMOREMSG MAILS NOMSGS
007E8052	MAILS_USERSPEC
007E805A	MAILS_SENDABORT
007E8062	MAILS EDITPROC
007E806A	MATI & THUCHD
007E8072	MATI & MOTEOUND
00758072	MAILS_NUITUUNU
007E807A	MAILS_NETIOERR
007E8082	MAIL\$_USERDSABL
007E808A	MATES FORWLOOP
007E8092	MAILS_NOMSGS MAILS_USERSPEC MAILS_SENDABORT MAILS_EDITPROC MAILS_INVCMD MAILS_NOTFOUND MAILS_NETIOERR MAILS_USERDSABL MAILS_FORWLOOP MAILS_NAMTOOBIG MAILS_ILLCHAR MAILS_DATIMUSED MAILS_NOTISAM
007E809A	MATIC TIL CHAD
00750074	MAIL DILLUMK
007E80A2	MAIL \$_DATIMUSED
007E80AA	MAILS NOTISAM MAILS DELMSG
007E80B2	MAIL S DEL MSG
007E80BA	MATI & DEL HACTE
00759063	MAILS DELWASTE MAILS NOFOLDER
007E80C2	MAIL 3 NOT ULDER
007E80CA	MAIL\$_NOTEXIST
00/E80D2	MAIL\$_NOTSUBDIR
007E80DA	MAIL\$_ILLSUBDIR
007E80E2	MATIS THE FOLHAM
007E80EA	MAILS_ILLFOLNAM MAILS_NOMSGPRI MAILS_ALTPRIJOB
00750057	MAIL D NUTSUPKI
007E80F2	MAILS_ALIPRIJOB
007E80FA	MAIL\$_ILLPERNAM MAIL\$_NOSUCHUSRAT
007E8102	MAIL S NOSUCHUSRAT
007E810A	MAILS SENDERRAT
007E8112	MAIL\$_CONABORT
007E811A	MAILS_NOTCALEDT
007E8122	MAILS_FILE.CONFUSED
007E812A	MAILS_CAPTIVE
007E8132	MAIL\$_IVPROTVAL
007E813A	
	MAILS_RECTOBIG
007EBE83	MAIL\$_SELECTED
007EBE88	MAIL_DELMSGS
007EBE93	MAILS DELMSGS MAILS CVTFILE
007EBE9B	MAILS RECLISTAT
007EBEÁ3	MAILS DELSPACE
007EBEAB	MAILS_NEWFOLDER
OUTEDEAD	
007EBEB3	MAILS_RECLPLSWAIT

Value	MAILS REENTER MAILS MOREMSG MAILS DIRHDO MAILS DIRHDO MAILS DIRHD20 MAILS DIRDEL10 MAILS ISUB30 MAILS ISUB30 MAILS PRESRET MAILS WANTOSEND MAILS WANTOSEND MAILS NOTIFY10 MAILS NOTIFY20 MAILS SHOW10 MAILS SHOW20 MAILS SHOW40 MAILS SHOW40 MAILS SHOW50 MAILS SHOW60 MAILS SHOW70 MAILS SHOW10 MAILS SHOW150 MAILS SHOW150 MAILS SHOW150
007EBEBB	MAILS_REENTER
007EDDC0 007EDDC8	MAILS_DIRHDO
007EDDD0 007EDDD8	MAILS DIRHD10
OOZEDDEC	MAILS DIRDEL10
007EDDE8 007EDDF0	MAILS_ISUB10 MAILS_ISUB20
007EDDF8 007EDE00	MAILS ISUB30
007EDE08	MAILS YOUHAVENEW
007EDE10 007EDE18	MAILS_MAIL10 MAILS_MAIL20
007EDE20 007EDE28	MAILS WANTOSEND
007EDE30	MAILS_NOTIFY20
007EDE38 007EDE40	MAILS_SHOW10
007EDE48 007EDE50	MAIL\$ SHOW20
007EDE58	MAIL\$_SHOW40
007EDE60 007EDE68	MAIL\$_SHOW50
007EDE70 007EDE78	MAIL\$ SHOW 70
007£DE80	MAIL\$ SHOW90
007EDE88 007EDE90	MAILS_SHOW100
007EDE98 007EDEA0	MAILS EDIT10 MAILS INFO10
007EDEAS 007EDEBO	MAIL\$ INFO20
007EDEB8	MAILS_SEND
007EDEC0 007EDEC8	MAILS_REPLY MAILS SHOW120
007EDED0 007EDED8	MAILS SHOW130
007EDEE0	MAIL\$ SHOW140
007EDEE8 007EDEF0	MAILSTSHOW150 MAILSTSHOW160
007EDEF8 007EDF00	MAIL\$TISUB50 MAIL\$TMAIL30
007EDF08	MAIL\$_RETCONT
007EDF10 007EDF18	MAILS_NEWSEQ MAILS_MAILDIR MAILS_MAILFILE
007EDF20 007EDF28	MAILS MAILFOLDER
007EDF30 007EDF38	MAILS MAIL40 MAILS CRENEWFOLD
007EDF40	MAIL\$_NONEWMAIL
007EDF48 007EDF50	MAIL\$_SHOWKEY10 MAIL\$_SHOWKEY20

Value MAILS SHOWKEY30
MAILS SHOWKEY40
MAILS SHOWKEY50
MAILS SHOWKEY60
MAILS SHOWKEY70
MAILS NOTIFY30
MAILS NOTIFY40
MAILS NOPARENT
MAILS FILEMPTY
MAILS NONEFOUND
SYSSQIOW
SYSSCII 007EDF58 007EDF60 007EDF68 007EDF 70 007EDF78 007EDF80 007EDF88 007ED: 90 007EDF98 007EDF A0 7FFEDE00 7FFEDE18 SYSSCLI 7FFEDE48 SYSSASCTIM 7FFEDE50 SYS\$ASSIGN 7FFEDE58 SYS\$BINTIM 7FFEDE60 SYS\$CANCEL 7FFEDEE0 SYS\$DASSGN 7FFEDEFO SYS\$DCLEXH 7FFEDF40 SYSSEXIT 7FFEDF50 SYSSFA0 7FFEDF58 SYS\$FAOL 7FFFDF78 SYS\$GETTIM 7FF F88 7FFEDFB0 SYSSHIBER SYS\$PURGWS 7FFEDFF0 SYS\$SCHOWK 7FFEE070 7FFEE078 7FFEE0B0 7FFEE0C0 SYSSUNWIND SYSSWAITER SYS\$GETMSG SYS\$CANEXH 7FFEEOEO 7FFEE100 7FFEE168 7FFEE180 7FFEE180 7FFEE180 7FFEE1A0 7FFEE1B0 7FFEE1C0 7FFEE1D0 7FFEE1D0 7FFEE1D0 7FFEE1D0 7FFEE1C8 7FFEE1C8 7FFEE1C0 7FFEE1C0 7FFEE1C0 7FFEE1C0 SYS\$PUTMSG SYS\$SETPRV SYS\$DELETE SYSSFIND SYS\$GET SYS\$PUT SYS\$READ SYS\$UPDATE SYS\$WAIT SYS\$WRITE SYS\$CLOSE SYS\$CONNECT SYSSCREATE SYS\$DISCONNECT SYS\$DISPLAY SYSSERASE SYS\$FLUSH SYS\$OPEN SYSSREWIND SYS\$PARSE 7FFEE248 7FFEE258 7FFEE278 SYS\$SEARCH SYS\$SETDF PROT SYSSFILESCAN

Value		Symbols
7FFEE410 7FFEE418 7FFEE420 7FFEE430 7FFEE438 7FFEE490 7FFEE4E8 7FFEE500	SYS\$GETDVI SYS\$GETDVIW SYS\$GETJPIW SYS\$GETSYIW SYS\$SNDJBCW SYS\$TRNLNM SYS\$BRKTHRUW SYS\$GETQUIW	

Key for special characters above:

+ - Undefined
U - Universal
R - Relocatable
X - External

```
Image Synopsis!
                                                    Virtual memory allocated:
                                                     00000200 00011fff 00011E00 (73216. bytes, 143. pages)
Stack size:
                                                           20. pages
Image header virtual block limits:
                                                                     1. ( 1. block)
144. ( 143. blocks)
                                                            1.
Image binary virtual block limits:
Image name and identification:
Number of files:
                                                     MAIL V04-001
Number of modules:
                                                           34.
Number of program sections:
Number of global symbols:
Number of cross references:
                                                           25.
                                                          763.
                                                         1416.
Number of image sections:
                                                     00001E10
User transfer address:
Number of code references to shareable images:
                                                     EXECUTABLE.
image type:
Map format:
                                                     FULL WITH CROSS REFERENCE in file _$255$DUA28:[MAIL.LIS]MAIL.MAP:1
                                                     229. blocks
Estimated map length:
                                                 ! Link Run Statistics !
Performance Indicators
                                                     Page Faults
                                                                   CPU Time
                                                                                    Elapsed Time
                                                                   00:00:00.25
    Command processing:
                                                             116
                                                                                     00:00:00.85
    Pass 1:
                                                             314
                                                                    00:00:03.25
                                                                                     00:00:22.88
    Allocation/Relocation:
                                                              53
                                                                    00:00:00.21
                                                                                     00:00:01.04
                                                                   00:00:02.46
                                                                                    00:00:13.06
    Pass 2:
                                                             186
    Map data after object module synopsis:
                                                              23
                                                                                     00:00:04.39
    Symbol table output:
                                                                    00:00:00.14
                                                                                    00:00:02.53
Total run values:
                                                             696
                                                                    00:00:08.82
                                                                                    00:00:44.75
Using a working set limited to 1800 pages and 977 pages of data storage (excluding image)
Total number object records read (both passes): 3177
    of which 1575 were in Libraries and 303 were DEBUG data records containing 23919 bytes
Number of modules extracted explicitly
    with 30 extracted to resolve undefined symbols
204 library searches were for symbols not in the library searched
A total of 25 global symbol table records was written
LINK/USERLIB=PROC/NOTRACE/MAP=MAPS:MAIL/FULL/CROSS/EXE=EXES:MAIL/SYMBOL=EXES:MAIL LIBS:MAIL/LIBRARY/INCLUDE=MAILSMAIL,RESOBJS:CLIUTL
/INCLUDE=CVTTIME, SYS$INPUT/OPTION
PSECT=$PLIT$,EXE
PSECT=$RMSNAM_NOEXE
PSECT=CLISTABLES.EXE
```

0227 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

